



D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

3.2017

Micro OLED 1.18" - 96x16 dots

Incl. controller SSD1306B



Features

- 1.18" Low-Power OLED
- -40..+80°C (T_{op.})
- 96x64 dots
- White (-XLW) and blue (-XLB) display
- Incl. controller SSD1306B
- I²C-Bus Interface
- Fast response time (10µs) even at -40°C

Ordering code

OLED 1.18" - 96x16 dots, white OLED 1.18" - 96x16 dots, blue

EA W096016-XALW EA W096016-XALB





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

Content

- 1.General Specification
- 2. Contour Drawing & Block Diagram
- 3.Interface Pin Function
- 4. Absolute Maximum Ratings
- 5. Electrical Characteristics
- 6. Optical Characteristics
- 7.OLED Lifetime
- 8. Reliability
- 9.Inspection specification
- 10.Precautions in use of OLED Modules
- 11. Initialization example





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

1. General Specification

Item	Dimension	Unit				
Dot Matrix	96 x 16 Dots	_				
Module dimension	29.1× 9.2 × 1.3	mm				
Active Area	21.104×3.504	mm				
Pixel Size	0.198 × 0.198	mm				
Pixel Pitch	0.220 × 0.220	mm				
Display Mode	Passive Matrix					
Dianley Color	White (EA W096016-XLW)					
Display Color	Blue (EA W096016-XLB)					
Drive Duty	1/16Duty					
IC	SSD1306BZ					

EA W096016-XA






D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

2. Contour Drawing & Block Diagram








D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

FUNCTION BLOCK DIAGRAM







D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

3. Interface Pin Function

No.	Symbol	Function
1	C2N	
2	C2P	Positive Terminal of the Flying Inverting Capacitor Negative Terminal of the
3	C1P	Flying Boost Capacitor The charge-pump capacitors are required between
4	C1N	the terminals. They must be floated when the converter is not used.
5	VBAT	Power Supply for DC/DC Converter Circuit This is the power supply pin for the internal buffer of the DC/DC voltage converter. It must be connected to external source when the converter is used. It should be connected to VDD when the converter is not used.
6	NC	No connection
7	VSS	Ground of Logic Circuit This is a ground pin. It acts as a reference for the logic pins. It must be connected to external ground.
8	VDD	Power Supply for Logic This is a voltage supply pin. It must be connected to external source.
9	RES#	Power Reset for Controller and Driver This pin is reset signal input. When the pin is low, initialization of the chip is executed.
10	SCL	I2C mode is selected, D2, D1 should be tied together and serve as SDAout,
11	SDA	SDAin in application and D0 is the serial clock input, SCL.
12	IREF	Current Reference for Brightness Adjustment This pin is segment current reference pin. A resistor should be connected between this pin and VSS. Set the current lower than 12.5µA.
13	VCOMH	Voltage Output High Level for COM Signal This pin is the input pin for the voltage output high level for COM signals. A capacitor should be connected between this pin and VSS.
14	VCC	Power Supply for OEL Panel This is the most positive voltage supply pin of the chip. A stabilization capacitor should be connected between this pin and VSS when the converter is used. It must be connected to external source when the converter is not used.





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

4. Absolute Maximum Ratings

Parameter	Symbol	Min	Max	Unit	Notes
Supply Voltage for Logic	VDD	0	4	V	1,2
Supply Voltage for Display	VCC	0	16	V	1,2
Operating Temperature	TOP	-40	+80	°C	
Storage Temperature	TSTG	-40	+80	°C	

Note 1: All the above voltages are on the basis of "VSS = 0V".

Note 2: When this module is used beyond the above absolute maximum ratings, permanent breakage of the module may occur. Also, for normal operations, it is desirable to use this module under the conditions according to Section 6."Optics & Electrical Characteristics". If this module is used beyond these conditions, malfunctioning of the module can occur and the reliability of the module may deteriorate.





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

5. Electrical Characteristics

Item	Symbol	Condition	Min	Тур	Max	Unit
Supply Voltage for Logic	VDD	_	2.8	3.0	3.3	V
Supply Voltage for Display (Supplied Externally)	VCC	_	7.0	7.5	7.8	V
Charge Pump Regulator Supply Voltage	VBAT	_	3.3	_	4.2	V
Charge Pump Output Voltage for Display (Generated by Internal DC/DC)	Charge Pump VCC	_	7.0	7.5	7.8	V
Input High Volt.	VIH	_	0.8×VDD	_	VDD	V
Input Low Volt.	VIL	_	0	_	0.2×VDD	V
Output High Volt.	VOH	_	0.9×VDD	_	VDD	V
Output Low Volt.	VOL	_	0	_	0.1×VDD	V
100% Full Screen operating Current (VCC Supplied Externally)	ICC	_	_	7	15	mA
100% Full Screen operating Current (VCC Generated by Internal DC/DC)	IBAT	_	10	15	25	mA





D-82205 Gilching


Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

6. Optical Characteristics

Item	Symbol	Condition	Min	Тур	Max	Unit
Viou Anglo	(V)θ		160			deg
View Angle	(Η)φ		160			deg
Contrast Ratio	CR	Dark	2000:1		_	_
Doonanaa Tima	T rise	_		10		μs
Response Time	T fall	_		10		μs
Display with 100% Full Scre	en Brightness (W	hite)	100	120		cd/m2
Display with 100% Full Scre	en Brightness (Bl	ue)	120	150		cd/m2
CIEx (White)		(CIE1931)	0.26	0.28	0.30	
CIEy (White)		(CIE1931)	0.30	0.32	0.34	
CIEx (Blue)	(CIE1931)	0.12	0.16	0.20		
CIEy (Blue)	CIEy (Blue)			0.26	0.30	







D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

7. OLED Lifetime

ITEM	Conditions	Min	Тур	Remark
Operating Life Time	Ta=25°C / Initial 50% check board brightness Typical Value	20,000 Hrs	_	Note

Notes:

- 1. Life time is defined the amount of time when the luminance has decayed to <50% of the initial value.
- 2. This analysis method uses life data obtained under accelerated conditions to extrapolate an estimated probability density function (*pdf*) for the product under normal use conditions.
- 3. Screen saving mode will extend OLED lifetime.





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

8. Reliability

Content of Reliability Test

Content of Test	Test Condition	Applicable Standard
Endurance test applying the high storage temperature for a long time.	80°C 240hrs	
temperature for a long time.	-40°C 240hrs	
Endurance test applying the electric stress (Voltage & Current) and the thermal stress to the element for a long time.	80°C 240hrs	
Endurance test applying the electric stress under low temperature for a long time.	-40°C 240hrs	
Endurance test applying the high temperature and high humidity storage for a long time.	60°C,90%RH 240hrs	
Endurance test applying the low and high temperature cycle. -40°C 25°C 80°C 30min 5min 30min 1 cycle	-40°C/80°C 100 cycles	
Endurance test applying the vibration during transportation and using.	10~22Hz→1.5mmp-p 22~500Hz→1.5G Total 0.5hr	
Constructional and mechanical endurance test applying the shock during transportation.	50G Half sin wave 11 ms 3 times of each direction	
Endurance test applying the atmospheric pressure during transportation by air.	115mbar 40hrs	
Endurance test applying the electric stress to the terminal.	VS=±600V(contact), ±800v(air), RS=330Ω CS=150pF	
	Endurance test applying the high storage temperature for a long time. Endurance test applying the low storage temperature for a long time. Endurance test applying the electric stress (Voltage & Current) and the thermal stress to the element for a long time. Endurance test applying the electric stress under low temperature for a long time. Endurance test applying the high temperature and high humidity storage for a long time. Endurance test applying the low and high temperature cycle. -40°C 25°C 80°C 30min 5min 30min 1 cycle Endurance test applying the vibration during transportation and using. Constructional and mechanical endurance test applying the shock during transportation. Endurance test applying the atmospheric pressure during transportation by air.	Endurance test applying the high storage temperature for a long time. Endurance test applying the low storage temperature for a long time. Endurance test applying the electric stress (Voltage & Current) and the thermal stress to the element for a long time. Endurance test applying the electric stress under low temperature for a long time. Endurance test applying the high temperature and high humidity storage for a long time. Endurance test applying the low and high temperature cycle. -40°C 25°C 80°C 30min 5min 30min 1 cycle Endurance test applying the vibration during transportation and using. Constructional and mechanical endurance test applying the shock during transportation. Endurance test applying the atmospheric pressure during transportation by air. VS=±600V(contact), ±800v(air), RS=330 () Endurance test applying the electric stress

^{***} Supply voltage for OLED system =Operating voltage at 25 $^{\circ}$ C





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

Test and measurement conditions

- 1. All measurements shall not be started until the specimens attain to temperature stability. After the completion of the described reliability test, the samples were left at room temperature for 2 hrs prior to conducting the failure test at 23±5°C; 55±15% RH.
- 2. All-pixels-on is used as operation test pattern.
- 3. The degradation of Polarizer are ignored for High Temperature storage, High Temperature/ Humidity Storage, Temperature Cycle

Evaluation criteria

- 1. The function test is OK.
- 2. No observable defects.
- 3. Luminance: > 50% of initial value.
- 4. Current consumption: within ± 50% of initial value.

APPENDIX:

RESIDUE IMAGE

Because the pixels are lighted in different time, the luminance of active pixels may reduce or differ from inactive pixels. Therefore, the residue image will occur. To avoid the residue image, every pixel needs to be lighted up uniformly.





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

9. Inspection specification

D1 Electrical Testing 1.1 Missing vertical, horizontal segment, segment contrast defect. 1.2 Missing character, dot or icon. 1.3 Display malfunction. 1.4 No function or no display. 1.5 Current consumption exceeds product specifications. 1.6 OLED viewing angle defect. 1.7 Mixed product types. 1.8 Contrast defect. 2.1 White and black spots on display ≤0.25mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm. 3.1 Round type : As following drawing Φ=(x + y)/2	NO	Item	Criterion					AQL
1.2 Missing character , dot or icon. 1.3 Display malfunction. 1.4 No function or no display. 1.5 Current consumption exceeds product specifications. 1.6 OLED viewing angle defect. 1.7 Mixed product types. 1.8 Contrast defect. 2.1 White and black spots on display ≦0.25mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm. 3.1 Round type : As spots, white spots, contamination (non-display) 3.1 Round type : As following drawing Φ=(x + y) / 2	01		_	ertical, hor	izon	tal segment, s	egment contrast	
1.3 Display malfunction. 1.4 No function or no display. 1.5 Current consumption exceeds product specifications. 1.6 OLED viewing angle defect. 1.7 Mixed product types. 1.8 Contrast defect. 2.1 White and black spots on display ≦0.25mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm. only) 03 OLED black spots, white spots, contaminatio n (non-display) 13.1 Round type: As following drawing Φ=(x + y) / 2 14		resurig		naracter (dot c	or icon		
1.4 No function or no display. 1.5 Current consumption exceeds product specifications. 1.6 OLED viewing angle defect. 1.7 Mixed product types. 1.8 Contrast defect. 2.1 White and black spots on display ≦0.25mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm. 3mm. 3mm. 4 Contrast defect. 2.1 White and black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm. 3mm. 4 Contrast defect. 3.1 Round type : As following drawing Φ=(x + y)/2			_			71 10011.		
1.5 Current consumption exceeds product specifications. 1.6 OLED viewing angle defect. 1.7 Mixed product types. 1.8 Contrast defect. 2.1 White and black spots on display ≦0.25mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm. 3mm. 3 OLED black spots, white spots, contamination (non-display) 3.1 Round type : As following drawing Φ=(x + y) / 2						y .		0.65
1.7 Mixed product types. 1.8 Contrast defect. 2.1 White and black spots on display ≤0.25mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm. 3mm. 3mm. 3.1 Round type : As following drawing Φ=(x + y) / 2 TY Φ≤0.10 3.2 Line type : (As following drawing) Length Width Acceptable Q TY Φ≤0.25 0.25 < Φ 0.20 < 1 Φ≤0.25 0.25 < Φ 0.20 < 1 Φ≤0.25 0.25 < Φ 0.20 < 1 Φ≤0.25 0.25 < Φ 0.20 < Accept no dense 1.5 L≤3.0 0.02 < W≤0.03 L≤2.5 0.03 < W≤0.05 0.05 < W As round type 2.5 Size Φ Acceptable Q TY W≤0.02 Accept no dense 2.5 O.03 < W≤0.03 L≤2.5 0.03 < W≤0.05 0.05 < W As round type 2.5 Size Φ Acceptable Q TY W≤0.02 Accept no dense 2.5 O.03 < W≤0.03 L≤2.5 0.03 < W≤0.05 0.05 < W As round type 2.5 O.20 Accept no dense 0.20 < Φ≤0.20 Accept no dense							specifications.	
1.8 Contrast defect. 2.1 White and black spots on display ≦0.25mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm. 2.5 OLED black spots, white spots, contamination (non-display) 3.1 Round type: As following drawing Φ=(x + y)/2 1.1 Page 1.2 Ty 1.2 Densely spaced: No more than two spots or lines within 3mm. 2.5 SIZE Acceptable Q TY 1.5 Defendance Type = Acceptable Q TY 1.5 Defendance Type = Accept no dense 0.10								
Slack or white spots on OLED (display only) 2.1 White and black spots on display ≤0.25mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm. 3mm. 3mm. 3mm. 3mm. 3mm. 3mm. 3.1 Round type : As following drawing Φ=(x + y) / 2			· ·	, , , , , , , , , , , , , , , , , , ,				
white spots on OLED (display 3mm. OLED black spots, white spots, contamination (non-display) 3.1 Round type : As following drawing Φ=(x + y) / 2 TY Φ≤0.10 Accept no dense 0.10 < 2 Φ≤0.20 0.20 < 1 Φ≤0.25 0.25 < Φ 0.25 < Φ 0.20 < 1 Φ≤0.25 0.25 < Φ 0.20 < 1 Φ≤0.25 0.25 < Φ 0.20 < 1 Φ≤0.25 0.25 < Φ 0.20 < Accept no dense 1.2.5 1.2	00	Disakor			40.0	n diantay < 0.0	Emana na magna than	
on OLED (display only) 3mm. OLED black spots, white spots, white spots, contaminatio n (non-display) 3.1 Round type : As following drawing Φ=(x+y)/2 TY Φ≤0.10 Accept no dense 0.10 2 Φ≤0.20 0.20 1 Φ≤0.25 0.25 <Φ 0 3.2 Line type : (As following drawing) Length Width Acceptable Q TY W≤0.02 Accept no dense L≤3.0 0.02 < W≤0.03 L≤2.5 0.03 < W≤0.05 0.05 < W As round type 04 Polarizer bubbles If bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction. SIZE Acceptable Q TY Φ≤0.10 Accept no dense 0.10 < 2 Φ≤0.25 0.25 <Φ 0 2.5	02			•		• •	omm, no more man	
(display only) 3mm. 03 OLED black spots, white spots, contamination n (non-display) 3.1 Round type : As following drawing Φ=(x + y) / 2 SIZE Acceptable Q TY Accept no dense N Φ≤0.10 Accept no dense 0.10 < 2		•		•	•		ots or lines within	2.5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			•	paooa. 110	1110	io triari two op	oto or infoo within	2.0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$, ,						
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	03							
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				•		SIZE		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		•	$\Phi = (x + y)/2$			☆ <0.40		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			→ X M →	L		$\Psi \ge 0.10$	•	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				Y		0.10<		2.5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		()		T Y				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				88			1	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$							0	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			3.2 Line type	: (As follov	ving	drawing)	1	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				Length	Wi	dth	Acceptable Q TY	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			$\sim \sqrt{\frac{w}{2}}$		W	≦0.02	Accept no dense	
$ \begin{array}{ c c c c c c }\hline L\leqq 2.5 & 0.03 < W \leqq 0.05 \\ \hline & 0.05 < W & As round type \\ \hline 04 & Polarizer \\ bubbles & If bubbles are visible, \\ judge using black spot \\ specifications, not \\ easy to find, must \\ check in specify \\ direction. & \hline \\ \hline 0.00 < \Phi \leqq 0.20 & Accept no dense \\ \hline 0.20 < \Phi \leqq 0.50 & 3 \\ \hline 0.50 < \Phi \leqq 1.00 & 2 \\ \hline 1.00 < \Phi & 0 \\ \hline \end{array} $			→ı ₁ +	L≦3.0	0.0	$02 < W \le 0.03$	2	2.5
$\begin{array}{ c c c c c c c c c }\hline 04 & Polarizer \\ bubbles & If bubbles are visible, \\ judge using black spot \\ specifications, not \\ easy to find, must \\ check in specify \\ direction. & Size \Phi Acceptable Q TY \Phi \le 0.20 & Accept no dense \\ 0.20 < \Phi \le 0.50 & 3 \\ 0.50 < \Phi \le 1.00 & 2 \\ \hline 1.00 < \Phi & 0 \\ \hline \end{array}$			1.5	L≦2.5	0.0	03 <w≦0.05< td=""><td>2</td><td></td></w≦0.05<>	2	
bubbles If bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction. $\begin{array}{c ccccccccccccccccccccccccccccccccccc$					0.0)5 <w< td=""><td>As round type</td><td></td></w<>	As round type	
judge using black spot specifications, not easy to find, must check in specify direction.	04	Polarizer						
specifications, not easy to find, must check in specify direction. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		bubbles		•	Si	ze Ф	Acceptable Q TY	
easy to find, must check in specify direction.				•	Φ	≦0.20	Accept no dense	
check in specify direction.			<u> </u>		0.2	20<Φ≦0.50	3	2.5
direction. $1.00 < \Phi$					0.5	50<Φ <u>≤1.0</u> 0	2	
Total Q TY 3				ıı y	1.0	00<Ф	0	
					То	tal Q TY	3	





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

NO	Item	Criterion			AQL
05	Scratches	Follow NO.3 OLED black	spots, white spot	s, contamination	
			nip width z: C ass thickness a:	Chip thickness OLED side length	
		6.1 General glass chip: 6.1.1 Chip on panel surfa	ice and crack betw	veen panels:	
06	Chipped	Z≦1/2t No are		x: Chip length x≤1/8a	2.5
	glass	1/2t < z ≦ 2t No	t exceed 1/3k	x≦1/8a	
		olf there are 2 or more constraints.	chips, x is total leng Y Chip width	gth of each chip. x: Chip length	
		Z≦1/2t No	t over viewing	x≦1/8a	
		$1/2t < z \le 2t$ No	ea ot exceed 1/3k	x≦1/8a	
		⊙ If there are 2 or more c	inps, x is the total	iengin or each onip.	





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

NO	Item	Criterion	AQL
		Symbols:	
		x: Chip length y: Chip width z: Chip thickness	
		k: Seal width t: Glass thickness a: OLED side length L: Electrode pad length	
		, ,	
		6.2.1 Chip on electrode pad :	
06	Glass	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2.5
		specifications. If the product will be heat sealed by the customer, the alignment	
		mark not be damaged.	
		6.2.3 Substrate protuberance and internal crack.	
		y: width x: length	
		y≤1/3L x ≤ a	
		y X	
		3NS	





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

NO	Item	Criterion	AQL
07	Cracked glass	The OLED with extensive crack is not acceptable.	2.5
08	Backlight elements	 8.1 Illumination source flickers when lit. 8.2 Spots or scratched that appear when lit must be judged. Using OLED spot, lines and contamination standards. 8.3 Backlight doesn't light or color wrong. 	0.65 2.5 0.65
09	Bezel	9.1 Bezel may not have rust, be deformed or have fingerprints, stains or other contamination.9.2 Bezel must comply with job specifications.	2.5 0.65
10	PCB、COB	 10.1 COB seal may not have pinholes larger than 0.2mm or contamination. 10.2 COB seal surface may not have pinholes through to the IC. 10.3 The height of the COB should not exceed the height indicated in the assembly diagram. 10.4 There may not be more than 2mm of sealant outside the seal area on the PCB. And there should be no more than three places. 10.5 No oxidation or contamination PCB terminals. 10.6 Parts on PCB must be the same as on the production characteristic chart. There should be no wrong parts, missing parts or excess parts. 10.7 The jumper on the PCB should conform to the product characteristic chart. 10.8 If solder gets on bezel tab pads, OLED pad, zebra pad or screw hold pad, make sure it is smoothed down. 	2.5 2.5 0.65 2.5 2.5 0.65 2.5
11	Soldering	 11.1 No un-melted solder paste may be present on the PCB. 11.2 No cold solder joints, missing solder connections, oxidation or icicle. 11.3 No residue or solder balls on PCB. 11.4 No short circuits in components on PCB. 	2.5 2.5 2.5 0.65





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

NO	Item	Criterion	AQL
		12.1 No oxidation, contamination, curves or, bends on interface Pin (OLB) of TCP.	2.5
		12.2 No cracks on interface pin (OLB) of TCP.	0.65
		12.3 No contamination, solder residue or solder balls on	2.5 2.5
		product.	2.5
		12.4 The IC on the TCP may not be damaged, circuits. 12.5 The uppermost edge of the protective strip on the	2.5
4.0	General	interface pin must be present or look as if it cause the interface pin to sever.	2.5
12	appearance	12.6 The residual rosin or tin oil of soldering (component or	2.5
		chip component) is not burned into brown or black color.	0.65
		12.7 Sealant on top of the ITO circuit has not hardened.	0.65
		12.8 Pin type must match type in specification sheet. 12.9 OLED pin loose or missing pins.	0.65
		12.10 Product packaging must the same as specified on packaging specification sheet.	0.65
		12.11 Product dimension and structure must conform to product specification sheet.	





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

Check Item	Classification	Criteria
No Display	Major	
Missing Line	Major	
Pixel Short	Major	
Darker Short	Major	
Wrong Display	Major	
Un-uniform B/A x 100% < 70% A/C x 100% < 70%	Major	A Normal B Dark Fixel HE C HE Light Fixel





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

10. Precautions in use of OLED Modules

Modules

- (1) Avoid applying excessive shocks to module or making any alterations or modifications to it.
- (2)Don't make extra holes on the printed circuit board, modify its shape or change the components of OLED display module.
- (3)Don't disassemble the OLED display module.
- (4)Don't operate it above the absolute maximum rating.
- (5)Don't drop, bend or twist OLED display module.
- (6) Soldering: only to the I/O terminals.
- (7) Storage: please storage in anti-static electricity container and clean environment.
- (8)It's pretty common to use "Screen Saver" to extend the lifetime and Don't use fix information for long time in real application.
- (9)Don't use fixed information in OLED panel for long time, that will extend "screen burn" effect time..
- (10)ELECTRONIC ASSEMBLY has the right to change the passive components, including R2and R3 adjust resistors. (Resistors, capacitors and other passive components will have different appearance and color caused by the different supplier.)
- (11) ELECTRONIC ASSEMBLY have the right to change the PCB Rev. (In order to satisfy the supplying stability, management optimization and the best product performance...etc, under the premise of not affecting the electrical characteristics and external dimensions, ELECTRONIC ASSEMBLY have the right to modify the version.)

10.1. Handling Precautions

- (1) Since the display panel is being made of glass, do not apply mechanical impacts such us dropping from a high position.
- (2) If the display panel is broken by some accident and the internal organic substance leaks out, be careful not to inhale nor lick the organic substance.
- (3) If pressure is applied to the display surface or its neighborhood of the OLED display module, the cell structure may be damaged and be careful not to apply pressure to these sections.
- (4) The polarizer covering the surface of the OLED display module is soft and easily scratched. Please be careful when handling the OLED display module.
- (5) When the surface of the polarizer of the OLED display module has soil, clean the surface. It takes advantage of by using following adhesion tape.
 - * Scotch Mending Tape No. 810 or an equivalent

Never try to breathe upon the soiled surface nor wipe the surface using cloth containing solvent such as ethyl alcohol, since the surface of the polarizer will become cloudy.

Also, pay attention that the following liquid and solvent may spoil the polarizer:

- * Water
- * Ketone
- * Aromatic Solvents
- (6) Hold OLED display module very carefully when placing OLED display module into the System housing. Do not apply excessive stress or pressure to OLED display module. And, do





D-82205 Gilching


Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

not over bend the film with electrode pattern layouts.

These stresses will influence the display performance. Also, secure sufficient rigidity for the outer cases.



- (7) Do not apply stress to the LSI chips and the surrounding molded sections.
- (8) Do not disassemble nor modify the OLED display module.
- (9) Do not apply input signals while the logic power is off.
- (10) Pay sufficient attention to the working environments when handing OLED display modules to prevent occurrence of element breakage accidents by static electricity.
- * Be sure to make human body grounding when handling OLED display modules.
- * Be sure to ground tools to use or assembly such as soldering irons.
- * To suppress generation of static electricity, avoid carrying out assembly work under dry environments.
- * Protective film is being applied to the surface of the display panel of the OLED display module. Be careful since static electricity may be generated when exfoliating the protective film.
- (11) Protection film is being applied to the surface of the display panel and removes the protection film before assembling it. At this time, if the OLED display module has been stored for a long period of time, residue adhesive material of the protection film may remain on the surface of the display panel after removed of the film. In such case, remove the residue material by the method introduced in the above Section 5.
- (12) If electric current is applied when the OLED display module is being dewed or when it is placed under high humidity environments, the electrodes may be corroded and be careful to avoid the above.

10.2. Storage Precautions

(1) When storing OLED display modules, put them in static electricity preventive bags avoiding exposure to direct sun light nor to lights of fluorescent lamps. and, also, avoiding high temperature and high humidity environment or low temperature (less than 0°C) environments.

(We recommend you to store these modules in the packaged state when they were shipped from ELECTRONIC ASSEMBLY.

At that time, be careful not to let water drops adhere to the packages or bags nor let dewing occur with them.

(2) If electric current is applied when water drops are adhering to the surface of the OLED display module, when the OLED display module is being dewed or when it is placed under high humidity environments, the electrodes may be corroded and be careful about the above.

10.3. Designing Precautions





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

- (1) The absolute maximum ratings are the ratings which cannot be exceeded for OLED display module, and if these values are exceeded, panel damage may be happen.
- (2) To prevent occurrence of malfunctioning by noise, pay attention to satisfy the VIL and VIH specifications and, at the same time, to make the signal line cable as short as possible.
- (3) We recommend you to install excess current preventive unit (fuses, etc.) to the power circuit (VDD). (Recommend value: 0.5A)
- (4) Pay sufficient attention to avoid occurrence of mutual noise interference with the neighboring devices.
- (5) As for EMI, take necessary measures on the equipment side basically.
- (6) When fastening the OLED display module, fasten the external plastic housing section.
- (7) If power supply to the OLED display module is forcibly shut down by such errors as taking out the main battery while the OLED display panel is in operation, we cannot guarantee the quality of this OLED display module.
- * Connection (contact) to any other potential than the above may lead to rupture of the IC.

10.4. Precautions when disposing of the OLED display modules

1) Request the qualified companies to handle industrial wastes when disposing of the OLED display modules. Or, when burning them, be sure to observe the environmental and hygienic laws and regulations.

10.5. Other Precautions

- (1) When an OLED display module is operated for a long of time with fixed pattern may remain as an after image or slight contrast deviation may occur.
- Nonetheless, if the operation is interrupted and left unused for a while, normal state can be restored. Also, there will be no problem in the reliability of the module.
- (2) To protect OLED display modules from performance drops by static electricity rapture, etc., do not touch the following sections whenever possible while handling the OLED display modules.
- * Pins and electrodes
- * Pattern layouts such as the TCP & FPC
- (3) With this OLED display module, the OLED driver is being exposed. Generally speaking, semiconductor elements change their characteristics when light is radiated according to the principle of the solar battery. Consequently, if this OLED driver is exposed to light, malfunctioning may occur.
- * Design the product and installation method so that the OLED driver may be shielded from light in actual usage.
- * Design the product and installation method so that the OLED driver may be shielded from light during the inspection processes.
- (4) Although this OLED display module stores the operation state data by the commands and the indication data, when excessive external noise, etc. enters into the module, the internal status may be changed. It therefore is necessary to take appropriate measures to suppress noise generation or to protect from influences of noise on the system design.
- (5) We recommend you to construct its software to make periodical refreshment of the operation statuses (re-setting of the commands and re-transference of the display data) to cope with catastrophic noise.






D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

- (6)Resistors, capacitors and other passive components will have different appearance and color caused by the different supplier.
- (7)Our company will has the right to upgrade and modify the product function.
- (8) The limitation of FPC bending







D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

http://www.lcd-module.de

11. Initialization example

```
Global variables and defines
#define I2CADDRESS 0x3c
uint8_t buf[2];
                       //I2C buffer
uint8_t buffer[193];
                       //data buffer
/**********************************
Function name: sendcommand
Description: Sends a command byte via I2C
void sendcommand(uint8_t byte){
   uint16_t adr = I2CADDRESS;
                              //I2C address 0x3C
   uint8_t i = 0;
                              //waits until I2C output buffer is empty
     waitforemptybuffer();
     //control byte //initialization byte
   buf[i++] = 0x00; buf[i++] = byte;
   R_RIICO_Master_Send(adr,buf,2);
                                 //send buffer via I2C
}
/****************************
Function name: initW096016
Description: Initialization of the display
void initW096016(void){
   PORT5.PODR.BIT.B4 = 0;
                              //D/C# pin low
   PORT5.PODR.BIT.B5 = 0;
                              //reset pin low
   ms delay(100);
                           //100ms delay
   PORT5.PODR.BIT.B5 = 1;
                               //reset pin high
   ms_delay(100);
                           //100ms delay
   sendcommand(0xA8);
                           //set multiplex ratio...
   sendcommand(0x0F);
                          //...to 16-1
   sendcommand(0x8D);
                          //charge pump setting...
   sendcommand(0x14);
                          //...Enable charge pump
   sendcommand(0xDA);
                          //set COM pins hardware configuration...
                          //...to sequential COM pin configuration
   sendcommand(0x02);
   sendcommand(0xAF);
                          //set display on
   sendcommand(0xC8);
                          //set COM output direction (remap)
   sendcommand(0xA1);
                          //set segment remap (col. 127 to SEG0)
}
```





D-82205 Gilching

Fon +49-8105-778090

info@lcd-module.de

```
Function name: initWindow
Description: Initialization of the window in horizontal addressing mode
void initWindow(uint8_t startcol, uint8_t stopcol, uint8_t startpage, uint8_t stoppage){
     sendcommand(0x20);
                        //set memory addressing mode ...
                        //... to horizontal addressing mode
     sendcommand(0x00);
     sendcommand(0x21); //set column address
     sendcommand(startcol); //start column
     sendcommand(stopcol); //stop column
     sendcommand(0x22);
                      //set page address
     sendcommand(startpage); //start page
     sendcommand(stoppage); //stop page
}
/***********************************
Function name: sendDataW096016
Description: Sends data to the display (Initialization of the window before sending data to
the display -> initWindow()
**************************************
void sendDataW096016(const uint8_t *tx_buf, uint16_t tx_num){
   uint16 t adr = I2CADDRESS;//I2C address 0x3C
   uint16_t i;
   buffer[0] = 0x40;
                     //control byte (send data)
     for(i=0;i<tx num;i++){</pre>
       buffer[i+1] = tx buf[i];
   }
     waitforemptybuffer();
   R_RIICO_Master_Send(adr,buffer,tx_num+1); //send data via I2C
}
```