# **Honeywell**



Representative photograph, actual product appearance may vary.

Due to regional agency approval requirements, some products may not be available in your area. Please contact your regional Honeywell office regarding your product of choice.

## GLDB01D

Global Limit Switches Series GLS: Top Roller Arm, 1NC SPDT Snap Action, PG13.5

#### **Features**

- Designed to IEC standard for world-wide applications
- UL, CSA, and CE
- International conduit sizes
- Direct PLC interface compatible (two circuit)
- Modular construction reduces maintenance parts costs
- Designed for ease of installation
- Variety of basic switch versions
- · Wide choice of actuators

## **Typical Applications**

- Machine tools: metal fabrication equipment, presses, transfer lines and special machinery
- Material handling equipment: conveyors, elevators, cranes, and hoists
- Packaging machinery and process equipment
- Textile machinery
- Construction machinery and equipment, vehicles and lift trucks

### **Description**

The GLS series limit switches are specifically designed for worldwide applications and are supported by Honeywell global resources for sale and after sale service.



# GLDB01D

Global Limit Switches Series GLS: Top Roller Arm, 1NC 1NO SPDT Snap Action, PG13.5

Product Specifications	
Availability	Global
Product Type	EN50041/47 Global Limit Switch
Actuator	Top Roller Arm
Lever Style	None
Circuitry	1NC 1NO SPDT Snap Action
Ampere Rating	10 A (Thermal)
Supply Voltage	600 Vac and 250 Vdc max.
Housing Material	Plastic
Termination Type	PG13.5
Housing Type	EN 50047
Series Name	GLS Series
Shock	50 g per IEC 68-2-27c (w/o Actuator)
Vibration	10 g per IEC 68-2-6 (w/o Actuator)
Sealing	NEMA 1, 12, 13 IP66
Approvals	UL, CSA, CE
CSA File #	LR94369-3
UL File #	E37138 & E157416
Mechanical Life	10 million
Operating Temperature Range	-25 °C to 85 °C [-13 °F to 185 °F]
Agency Approvals and Standards	IEC 947-5-1, EN60947-5-1, UL508, UL746-C
UNSPSC Code	302119
UNSPSC Commodity	302119 Switches and controls and relays
Sealed	Industrial



## GLDB01D

Global Limit Switches Series GLS: Top Roller Arm, 1NC 1NO SPDT Snap Action, PG13.5

## **A** WARNING

### PERSONAL INJURY

DO NOT USE these products as safety or emergency stop devices, or in any other application where failure of the product could result in personal injury.

Failure to comply with these instructions could result in death or serious injury.

## **A** WARNING

### MISUSE OF DOCUMENTATION

- The information presented in this product sheet (or catalog) is for reference only. DO NOT USE this document as product installation information.
- Complete installation, operation and maintenance information is provided in the instructions supplied with each product.

Failure to comply with these instructions could result in death or serious injury.

© Copyright Honeywell Inc.1998-2002 All rights reserved.