



SWITCH CIRCUIT			MATERIAL AND FINISH AS BELOW						
WHEN CARD IS EJECTED	WHEN CARD IS INSERTED	A	Housing	LCP UL94V-0, Color:Black	E				
		B	Contact	Phosphor Bronze T=0.15, Contact Area: Gold Plated	F				
		C	Shell	Stainless Steel, Solder Tail:Gold Plated	G				
		D			H				



## SPECIFICATION:

- ELECTRICAL**
  - Current Rating: 0.5A
  - Voltage Rating: 5VDC
  - Contact Resistance: 100mΩ
  - Insulation Resistance: 500MΩ
  - Dielectric Withstanding Voltage: 250VAC for 1 minute
- MECHANICAL**
  - Durability: 5000 Cycle
  - Contact Normal Force : 0.2N~0.6N
- ENVIRONMENTAL**
  - Operating temperature range: -40°C to +85°C
  - Storage temperature range: -40°C to +85°C
- SOLDER ABILITY**
  - Recommended IR Reflow Temperature: 260°C




Vcc	RST	CLK	NA	GND	Vpp	I/O	NA				
C1	C2	C3	C4	C5	C6	C7	C8				

### PIN ASSIGNMENT


115I-BEAA	Micro SIM Socket 8Pin SMD Type, 15u Gold Plating
PRODUCT NO.	DESCRIPTION

				UNLESS OTHERWISE SPECIFIED TOLERANCE				 www.attend.com.tw DRAWN NAME: Micro SIM Card Socket PRODUCT NO. 115I-BEAA FILE NAME 115I-BEAA_B_2			
ANGLES		ANG.		±5°							
LINEAR		0.		±0.3							
		0.0		±0.25							
		0.00		±0.20							
SCALE		AS SHOWN		UNIT: mm							
DRAWN		Willis		2012/08/03							
CHECKED		Angel		2012/08/03							
APPROVED		Ken		2012/08/03							
REV.	DESCRIPTION	DATE	REV.	DESCRIPTION	DATE	SIZE	REV.	FILE NAME			
1						A4	1.0	115I-BEAA_B_2			



**PACKAGING SPECIFICATION:**

- 1. MATERIAL**
  - 1.1 Embossed Carrier Tape: Plastic**
  - 1.2 Top Cover Tape: PET**
  - 1.3 Taping Reel: PS**
- 2. PACKING**
  - 2.1 Quantity:**
    - 1000 Piece/Reel**
    - 10 Reel/Carton**
    - 10000 Piece/Carton**

						UNLESS OTHERWISE SPECIFIED TOLERANCE			 www.attend.com.tw	
						ANGLES	ANG.	±5°		
						LINEAR	0.	±0.3		
							0.00	±0.20		
						SCALE	AS SHOWN	UNIT: mm	DRAWN NAME: Micro SIM Card Socket PRODUCT NO. 115I-BEAA FILE NAME 115I-BEAA_D_2	
						DRAWN	Willis	2012/08/03		
						CHECKED	Angel	2012/08/03		
						APPROVED	Ken	2012/08/03		
REV.	DESCRIPTION		DATE	REV.	DESCRIPTION		DATE	 SIZE A4 REV. 1.0		
1				4				8	9	
2				5				10		

A

A

