

EPIC KIT M23 A1 17-POL MALE

75009707 29.11.2013

Inserts for M23 circular connectors

Universal further processing of the M23 inserts through different packaging units. Fully assembled with suitable solder contacts or unpopulated for individual assembly with crimp or solder contacts





Good chemical resistance



Industrial machinery and plant engineering



Mechanical resistance



Assembly time



Robust



Wind Energy



Variety of approval certifications

Application range

Plant engineering Measurement and control technology Apparatus construction

Remark

The inserts are suitable for both male and female contacts. For a complete connection, you will need one P-component and one E-component. P-component = left turning (anticlockwise), E-component = right turning (clockwise) Photographs are not to scale and do not represent detailed images of the respective products.



Product Management	Document: EPIC KIT M23 A1 17-POL MALE	1 / 6
DN 0404 /01 02 10	©2012 Lang Group Technical changes reconved	



EPIC KIT M23 A1 17-POL MALE

75009707

29.11.2013

Technical Data

Article number:	75009707
Rated voltage (V):	according to IEC 61984: 50 V
Rated impulse voltage:	0,8 kV
Rated current (A):	7 A
Contact resistance:	< 4 mOhm
Contacts:	Gold-plated brass
Number of contacts:	17
Termination methods:	Crimp termination: 0.14 - 1.0 mm ² Solder termination: up to 1.0 mm ²
Cycle of mechanical operation:	100
Temperature range:	-25°C až +125°C
VDE-tested:	Certified production control: VDE-REG. no. C24 (according to EN 61984, SELV according to DIN VDE 0100-410 has to be guaranteed) UL File Number: E249137
Degree of soiling:	3

Product Management	Document: EPIC KIT M23 A1 17-POL MALE	2/6
PN 0486/01_03.10	©2012 Lapp Group - Technical changes reserved	



EPIC KIT M23 A1 17-POL MALE

75009707



Product Management


Document: EPIC KIT M23 A1 17-POL MALE


PN 0486/01_03.10 ©2012 Lapp Group - Technical changes reserved Photographs are not to scale and do not represent detailed images of the respective products.



EPIC KIT M23 A1 17-POL MALE

75009707 29.11.2013





Product Management

Document: EPIC KIT M23 A1 17-POL MALE

PN 0486/01_03.10 ©2012 Lapp Group - Technical changes reserved Photographs are not to scale and do not represent detailed images of the respective products.



EPIC KIT M23 A1 17-POL MALE

75009707 29.11.2013

Circular connectors for Servo Cables and encoders Safe fixing with 4 screws Permanent vibration protection





Good chemical resistance



Industrial machinery and plant engineering



Robust



Waterproof



Wind Energy



Variety of approval certifications

Info Coulour coding for easy connecting

Application range

Plant engineering Servo drives and servo assemblies Measurement and control technology

Remark

Photographs are not to scale and do not represent detailed images of the respective products.

Technical Data

Article number:

Material:

Protection rating: Temperature range: VDE-tested: 75009707

Housing: nickel-plated zinc die-casting Sealing: FPM

IP68 (10h / 1m)

-25°C až +125°C

Certified production control: VDE-REG. no. C24 (according to EN 61984, SELV according to DIN VDE 0100-410 has to be guaranteed) UL File Number: E249137

Product Management	Document: EPIC KIT M23 A1 17-POL MALE	5 / 6






EPIC KIT M23 A1 17-POL MALE

75009707 29.11.2013







Product Management	Document: EPIC KIT M23 A1 17-POL MALE	6 / 6
PN 0486/01_03.10	©2012 Lapp Group - Technical changes reserved	

Photographs are not to scale and do not represent detailed images of the respective products.