

### EPIC KIT M23 D6 17-POL FEMALE

75009706 07.11.2014

#### Inserts for M23 circular connectors

Universal further processing of the M23 inserts through different packaging units. Fully assembled with suitable solder contacts or unpopulated for individual assembly with crimp or solder contacts





Good chemical resistance



Industrial machinery and plant engineering



Mechanical resistance



Assembly time



Robust



Wind Energy



Variety of approval certifications

#### Application range

Plant engineering Measurement and control technology Apparatus construction

#### Remark

The inserts are suitable for both male and female contacts. For a complete connection, you will need one P-component and one E-component. P-component = left turning (anticlockwise), E-component = right turning (clockwise)Photographs are not to scale and do not represent detailed images of the respective products.

2000	
	Z

Product Management	Document: EPIC KIT M23 D6 17-POL FEMALE	1 / 6
DN 0494 /01 02 10	©2012 Lapp Group Technical changes reserved	

PN 0486/01\_03.10 ©2012 Lapp Group - Technical changes reserved Photographs are not to scale and do not represent detailed images of the respective products.



#### EPIC KIT M23 D6 17-POL FEMALE

75009706

07.11.2014

#### **Technical Data**

Article number:	75009706
Pieces / PU:	1
Rated voltage (V):	according to IEC 61984: 50 V
Rated impulse voltage:	0,8 kV
Rated current (A):	7 A
Contact resistance:	< 4 mOhm
Contacts:	Gold-plated brass
Number of contacts:	17
Termination methods:	Crimp termination: 0.14 - 1.0 mm <sup>2</sup> Solder termination: up to 1.0 mm <sup>2</sup>
Cycle of mechanical operation:	100
Temperature range:	-25°C +125°C
VDE-tested:	Certified production control: VDE-REG. no. C24 (according to EN 61984, SELV according to DIN VDE 0100-410 has to be guaranteed) UL File Number: E249137
Degree of soiling:	3

Product Management	Document: EPIC KIT M23 D6 17-POL FEMALE	2 / 6
PN 0486/01_03.10 Photographs are not to scale and do not represent	©2012 Lapp Group - Technical changes reserved detailed images of the respective products.	



### EPIC KIT M23 D6 17-POL FEMALE

75009706




Product Management


Document: EPIC KIT M23 D6 17-POL FEMALE



EPIC KIT M23 D6 17-POL FEMALE

75009706 07.11.2014





**Product Management** 

Document: EPIC KIT M23 D6 17-POL FEMALE

PN 0486/01\_03.10 ©2012 Lapp Group - Technical changes reserved Photographs are not to scale and do not represent detailed images of the respective products.



### EPIC KIT M23 D6 17-POL FEMALE

75009706

07.11.2014

Circular connectors for Servo Cables and encoders Low-resistance screen contact, optimum EMC protection Use of high quality materials for increased reliability





Good chemical resistance



Industrial machinery and plant engineering



Optimum strain relief



Robust



Integrated SKINTOP® cable gland



Wind Energy

Info Robust metal connector with integrated EMC cable gland

#### Application range

Plant engineering Servo drives and servo assemblies Measurement and control technology

#### Remark

Photographs are not to scale and do not represent detailed images of the respective products.

#### **Technical Data**

Article number: 75009706 Pieces / PU: 1 Material: Housing: nickel-plated zinc die-casting Sealing: FPM IP68 (10h / 1m) Protection rating: Temperature range: -25°C ... +125°C VDE-tested: Certified production control: VDE-REG. no. C24 (according to EN 61984, SELV according to DIN VDE 0100-410 has to be guaranteed) UL File Number: E249137




Product Management	Document: EPIC KIT M23 D6 17-POL FEMALE	5 / 6
Product Management	Document: EPIC KIT M23 D6 17-POL FEMALE	5/6



### EPIC KIT M23 D6 17-POL FEMALE

75009706 07.11.2014



Product Management	Document: EPIC KIT M23 D6 17-POL FEMALE	6 / 6
PN 0486/01 03.10	©2012 Lapp Group - Technical changes reserved	