


| COUNT | DESCRIPTION OF REVISIONS | BY | CHKD | DATE | COUNT | DESCRIPTION OF REVISIONS | BY | CHKD | DATE |
|-------|--------------------------|-----|------|----------|-------|--------------------------|----|------|------|
| 1 | DIS-C-000585 | T.K | E.K | 07.07.27 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |



NOTE ① THE RECOMMENDED CLAMP TORQUE OF REF. NO. ⑦ TO BE 2 N·m.
 LOCTITE 242, HENKEL JAPAN OR EQUIVALENT IS RECOMMENDED TO
 PREVENT REF. NO. ⑦ FROM LOOSENING.

| | | |
|---|---------------------------|--|
| 7 | BRASS | NICKEL PLATING |
| 6 | PHOSPHOR BRONZE | NICKEL PLATING |
| 5 | PHOSPHOR BRONZE | OVER PLATING: GOLD 0.2 μm min. UNDER PLATING: 2 μm min. |
| 4 | PHOSPHOR BRONZE | |
| 3 | POLYAMIDE (BLACK) UL94V-0 | |
| 2 | STAINLESS STEEL | |
| 1 | ZINC ALLOY | MATTE FINISH NICKEL PLATED |

| NO. | MATERIAL | FINISH, REMARKS | NO. | MATERIAL | FINISH, REMARKS |
|-----|-----------------|--|-----|-----------------|--|
| 7 | BRASS | NICKEL PLATING | 7 | BRASS | NICKEL PLATING |
| 6 | PHOSPHOR BRONZE | NICKEL PLATING | 6 | PHOSPHOR BRONZE | NICKEL PLATING |
| 5 | PHOSPHOR BRONZE | OVER PLATING: GOLD 0.2 μm min. UNDER PLATING: 2 μm min. | 5 | PHOSPHOR BRONZE | OVER PLATING: GOLD 0.2 μm min. UNDER PLATING: 2 μm min. |
| 4 | PHOSPHOR BRONZE | | 4 | PHOSPHOR BRONZE | |

| | | | | | |
|-------------------------------|-------------------------------|-----------------------------------|---------------------------------|---------------------------------|----------|
| CODE NO. (OLD) CL | DRAWN M.SATO '07 03 07 | DESIGNED TO.HORII '07 03 07 | CHECKED E.KUNII '07 03 08 | APPROVED M.SATO '07 03 08 | RELEASED |
| DRAWING NO. EDC4-021368-72 | PART NO. HR10A-10R-10S(72) | | CODE NO. CL110-0409-9-72 | | |
| SCALE 2 : 1 | UNITS mm | | 1 / 1 | | |

| |
|----|
| TO |
| R |
| |
| |