



Price* : 210.97 GBP



Main

Range	Thalassa
Accessory / separate part category	Mounting accessory
Application	Multi-purpose Modular distribution application
Product or component type	Chassis
Device short name	DLP
For enclosure nominal dimensions	H: -
Mounting location	Front of enclosure
Range compatibility	Thalassa PLA
Device composition	1 chassis structure 4 front panels with 35 mm DIN rail 1 neutral/earth strip 2 x 16 mm ² 5 x 6 mm ²
Additional information	IP2x not respected when chassis is mounted at 67 mm

Complementary

Material	Self-extinguishing for front panel Galvanised steel for chassis structure and rails
Colour	Front panel : grey RAL 7035
Fixing mode	By fixing element - on front with supports location
Adjustment	In height from 40 to 85 mm for DIN rail
Number of horizontal rows	4
Total number of 18 mm modules	132
Type of front plate	Cut-out plate
Number of cut-out	4 cut-outs
Height	750 mm
Width	750 mm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1511 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product environmental profile	Available
Product end of life instructions	Need no specific recycling operations