


DIN 6912

08.8 / 8.8

The head marking is determining



BN 15

Hex socket head cap screws

with low head and pilot recess, partially / fully threaded

Steel 08.8 / 8.8

black



Fasteners to the given specification have a reduced loadability due to the head geometry according to ISO 898-1.

b: the partially threaded version can not always be guaranteed

Article#	d ₁	d ₂	l _s min.	k	s	t	b	L
1750259	M4	7	1,4	2,8	3	1,6	-	(6)
1016520								(8)
1016539								10
1016547								12
1016563								16
1016598							14	20
1016628								25
1016636								30
1016644								35
1016652								40
1016660	M5	8,5	1,8	3,5	4	2	-	(8)
1016679								10
1016687								12
1016709								16
1016725								20
1016741							16	25
1016768								30
1016776								35
1016784								40
1016792								(45)
1016806								50
1016814								60
1750267	M6	10	2,5	4	5	2,5	-	(8)
1016822								10
1016830								12
1016857								16

b: the partially threaded version can not always be guaranteed

Article#	d ₁	d ₂	l _s min.	k	s	t	b	L
3169568	M6	10	2,5	4	5	2,5	-	18
1016873								20
1016903								25
1016911							18	30
1016938								35
1016946								40
1016954								(45)
1016962								50
1016970								60
1016989								70
1016997								80
1750275	M8	13	3,2	5	6	3	-	10
1017004								12
1017020								16
1017047								20
1017063								25
1017071								30
1017098							22	35
1017101								40
1017128								(45)
1017136								50
1017144								60
1017152								70
1017160								80
1017179								90
1017187								100
1017195								120
1017217	M10	16	3,5	6,5	8	3,5	-	16
1017233								20
1017268								25
1017276								30
1017284								35
1017292							26	40
1017306								(45)
1017314								50
1017322								60
1017330								70
1017349								80
1017357								90
1017365								100
1017373								120

b: the partially threaded version can not always be guaranteed

Article#	d ₁	d ₂	l _s min.	k	s	t	b	L
1017381	M12	18	4,2	7,5	10	4	-	20
1017411								25
1017438								30
1017446								35
1017454								40
1017462							30	(45)
1017470								50
1017489								60
1017497								70
1017500								80
1017519								90
1017527								100
1017535								120
1017586	(M14)	21	4,5	8,5	12	4,5	-	40
1017594								(45)
1017608								50
1017675	M16	24	5	10	14	5,5	-	30
1017683								35
1017691								40
1017705								(45)
1017713								50
1017721							38	60
1017896	M20	30	6,5	12	17	6,5	-	40
1017918								(45)
1017926								50
1042890								60
1017934							46	70
1017942								80
1017969								100
1017977								120