

PRF 2-22

Date 3.10.2017

Previous date: 29.9.2017

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY / UNDERTAKING**1.1 Product identifier****1.1.1 Commercial Product Name**

PRF 2-22

1.1.2 Product code

PE22222

1.2 Relevant identified uses of the substance or mixture and uses advised against**1.2.1 Recommended use**

Cleaning agent

1.3 Details of the supplier of the safety data sheet**1.3.1 Supplier**

Taerosol Oy

Street address

Hampuntie 21

Postcode and post office

36220

Postcode and post office

Kangasala Finland

Telephone

03-3565600

Email

heikki.jalava@taerosol.com

1.4 Emergency telephone number**1.4.1 Telephone number, name and address**09-471 977 tai 09-4711 Myrkytystietokeskus / HUS
PL 340 (Haartmaninkatu 4), 00029 HUS (Helsinki)**2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****1272/2008 (CLP)**

Flam. Aerosol 1, H222

Flam. Aerosol 1, H229

67/548/EEC - 1999/45/EC

F+, Xi; R12-36-67-66

2.2 Label elements**1272/2008 (CLP)**

GHS02

Signal word

Danger**Hazard Statements**

H222

Extremely flammable aerosol.

H229

Pressurised container: May burst if heated.

Precautionary Statements

P102

Keep out of reach of children.

P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211

Do not spray on an open flame or other ignition source.

P251

Do not pierce or burn, even after use.

P262

Do not get in eyes, on skin, or on clothing.

P410+P412

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

2.3 Other hazards

PRF 2-22

Date 3.10.2017

Previous date: 29.9.2017

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures				
Hazardous components				
CAS/EC and Reg. number	Chemical name of the substance	Concentration	Classification	
106-97-8	butan	25-35%	F+; R12	
200-857-2			;Flam. Gas 1, H220; Press. Gas	
74-98-6	propan	25-35%	F+; R12	
200-827-9			;Flam. Gas 1, H220; Press. Gas	
64742-81-0	Kerosine (petroleum),hydrodesulfurized	30-40%	Xn; R65	
			Asp.tox 1. H 304	
			EUH066	
151-21-3	Natriumlauryylisulfaatti	0,3-0,5%	Xn,R 20/22-37/38-41	
			Acute tox. 4 H302 Acute tox. 4 H332	
			Eye damage 1 H318 Skin Irrit. 2 H315	

3.3 Other information

not determined

4. FIRST AID MEASURES**4.1 Description of first aid measures**

Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

4.1.2 Inhalation

In the case of inhalation of aerosol/mist consult a physician if necessary.

4.1.3 Skin contact

Get medical attention if symptoms occur.

4.1.4 Eye contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

4.1.5 Ingestion

If swallowed, call a poison control centre or doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard if swallowed - can enter lungs and cause damage.

4.3 Indication of immediate medical attention and special treatment needed

Aspiration hazard

5. FIREFIGHTING MEASURES**5.1 Extinguishing media****5.1.1 Suitable extinguishing media**ABC powder, Carbon dioxide (CO₂)**5.1.2 Extinguishing media which must not be used for safety reasons**

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Explosive reaction may occur on heating or burning.

5.3 Advice for firefighters

Alcohol-resistant foam

PRF 2-22

Date 3.10.2017

Previous date: 29.9.2017

- 5.4 Specific methods**
Immediately evacuate personnel to safe areas.

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures**
Prevent unauthorised persons entering the zone. Prevent unauthorised persons entering the zone. Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind.
- 6.2 Environmental precautions**
Prevent product from entering drains.
- 6.3 Methods and materials for containment and cleaning up**
not determined
- 6.4 Reference to other sections**
not determined

7. HANDLING AND STORAGE

- 7.1 Precautions for safe handling**
Do not use in areas without adequate ventilation. No sparking tools should be used. Do not taste or swallow. Do not spray on a naked flame or any incandescent material. Do not smoke. Do not empty into drains. Do not store near combustible materials. Take precautionary measures against static discharges. Prevent vapour buildup by providing adequate ventilation during and after use.
- 7.2 Conditions for safe storage, including any incompatibilities**
Do not store near combustible materials. Storage of flammable liquids
- 7.3 Specific end use(s)**
not determined

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
not determined
- 8.1.1 Threshold limits**
- | | | | |
|----------|--------|------------------------------|---------------------------------|
| 106-97-8 | butan | 800 ppm (8 h) | 1000 ppm (15 min) |
| | | 1900 mg/m ³ (8 h) | 2400 mg/m ³ (15 min) |
| 74-98-6 | propan | 800 ppm (8 h) | 1100 ppm (15 min) |
| | | 1500 mg/m ³ (8 h) | 2000 mg/m ³ (15 min) |
- 8.1.2 Other information on limit values**
not determined
- 8.1.3 Limit values in other countries**
not determined
- 8.1.4 DNELs**
not determined
- 8.1.5 PNECs**
not determined
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls**
not determined

PRF 2-22

Date 3.10.2017

Previous date: 29.9.2017

8.2.2 Individual protection measures**8.2.2.1 Respiratory protection**

Provide adequate ventilation. Do not inhale aerosol. Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached.

8.2.2.2 Hand protection

It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.

8.2.2.3 Eye/face protection

Avoid contact with the skin and the eyes.

8.2.2.4 Skin protection

Avoid contact with the skin and the eyes.

8.2.3 Environmental exposure controls

not determined

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1 Important Health Safety and Environmental Information****9.1.1 Appearance**

aerosol

9.1.2 Odour

hydrocarbon-like

9.1.3 Odour threshold

not determined

9.1.4 pH

7

9.1.5 Melting point/freezing point

-10°C

9.1.6 Initial boiling point and boiling range

50°C(Hiilivetyseos) -20 °C (Propaani/Butaani))

9.1.7 Flash point

Alle 0 °C

9.1.8 Evaporation rate

not determined

9.1.9 Flammability (solid, gas)

Extremely flammable.

9.1.10 Explosive properties**9.1.10.1 Lower explosion limit**

2,3 til-% propaani

9.1.10.2 Upper explosion limit

9,5 til-% propaani

9.1.11 Vapour pressure

not determined

9.1.12 Vapour density

not determined

9.1.13 Relative density

not determined

9.1.14 Solubility(ies)**9.1.14.1 Water solubility**

insoluble

9.1.14.2 Fat solubility (solvent - oil to be specified)

Soluble in hydrocarbons

9.1.15 Partition coefficient: n-octanol/water

not determined

9.1.16 Auto-ignition temperature

not determined

9.1.17 Decomposition temperature

not determined

9.1.18 Viscosity

not determined

9.1.19 Explosive properties

not determined

9.1.20 Oxidising properties

not determined

9.2 Other information

not determined

PRF 2-22

Date 3.10.2017

Previous date: 29.9.2017

10. STABILITY AND REACTIVITY

- 10.1 Reactivity**
Exposure to sunlight.
- 10.2 Chemical stability**
Stable
- 10.3 Possibility of hazardous reactions**
not determined
- 10.4 Conditions to avoid**
Ei saa altistaa lämpötiloille, jotka ovat yli: 20
- 10.5 Incompatible materials**
not determined
- 10.6 Hazardous decomposition products**
not determined

11. TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects**
- 11.1.1 Acute toxicity**
LD50/oral/rat =16750 OECD Test Guideline 401
LC50/inhalation/ 4 h/rat =259000mg/m³OECD Test Guideline 403
LD50/dermal/rabbit =3350mg/kgOECD Test Guideline 402
- 11.1.2 Irritation and corrosion**
Prolonged skin contact may cause skin irritation.
- 11.1.3 Sensitisation**
not determined
- 11.1.4 Subacute, subchronic and prolonged toxicity**
not determined

12. ECOLOGICAL INFORMATION

- 12.1 Toxicity**
- 12.2 Persistence and degradability**
- 12.2.1 Biodegradation**
Bioaccumulation is unlikely.
- 12.2.2 Chemical degradation**
Readily biodegradable, according to appropriate OECD test.
- 12.3 Bioaccumulative potential**
Bioaccumulation is unlikely.
- 12.4 Mobility in soil**
not determined
- 12.5 Results of PBT and vPvB assessment**
not determined
- 12.6 Other adverse effects**
not determined

13. DISPOSAL CONSIDERATIONS

PRF 2-22

Date 3.10.2017

Previous date: 29.9.2017

13.1 Waste treatment methods

Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.

13.2 Waste from residues / unused products

not determined

14. TRANSPORT INFORMATION

- | | | |
|-------------|---|----------------|
| 14.1 | UN number | 1950 |
| 14.2 | UN proper shipping name | Aerosols |
| 14.3 | Transport hazard class(es) | 2.1 |
| 14.4 | Packing group | - |
| 14.5 | Environmental hazards | - |
| 14.6 | Special precautions for users | not determined |
| 14.7 | Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | not determined |

15. REGULATORY INFORMATION

- | | | |
|-------------|---|----------------|
| 15.1 | Safety, health and environmental regulations/legislation specific for the substance or mixture | 2B - Aerosols |
| 15.2 | Chemical safety assessment | not determined |

16. OTHER INFORMATION

- | | | |
|-------------|--|--|
| 16.1 | Additions, Deletions, Revisions | REGULATION (EC) No 453/2010 |
| 16.2 | Key or legend to abbreviations and acronyms | not determined |
| 16.5 | List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements | R12 Extremely flammable.
R65 Harmful: may cause lung damage if swallowed.
R66 Repeated exposure may cause skin dryness or cracking.
R67 Vapours may cause drowsiness and dizziness. |
| 16.7 | Recommended restrictions | not determined |
| 16.8 | Additional information available from: | tilaukset(at)taerosol.com |