PRF 7-78

Date 16.8.2017 Previous date: 16.8.2017

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier

1.1.1 Commercial Product Name

PRF 7-78

1.1.2 Product code

PE77822

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Recommended use

Lubricant

1.3 Details of the supplier of the safety data sheet

1.3.1 Supplier

Taerosol Oy

Street address Hampuntie 21

Postcode and post office 36220

Postcode and post office Kangasala Finland 03-3565600

Email heikki.jalava@taerosol.com

1.4 Emergency telephone number

1.4.1 Telephone number, name and address

09-471 977 tai 09-4711 Myrkytystietokeskus / HUS

PL 340 (Haartmaninkatu 4), 00029 HUS (Helsinki)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Aerosol 1

1272/2008 (CLP)

Aerosol 1, H222 Aerosol 1, H229 Eye Irrit. 2, H319

EUH066

2.2 Label elements

1272/2008 (CLP)

GHS07 - GHS02

Signal word **Danger**

Hazard Statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary Statements

P102 Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P262 Do not get in eyes, on skin, or on clothing.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/ 122 °F.

2.3 Other hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures





SAFETY DATA SHEET Page 2/5

PRF 7-78

Date 16.8.2017 Previous date: 16.8.2017

Hazardous compone	ents		
CAS/EC and Reg. number	Chemical name of the substance	Concentrat	tion Classification
106-97-8 200-857-2	butan	10-20%	F+; R12 ;Flam. Gas 1, H220; Press. Gas
74-98-6 200-827-9	propan	10-20%	F+; R12 ;Flam. Gas 1, H220; Press. Gas
918-481-9	Hiilivedyt, C10-C13, n-alkaanit, isoalkaanit, sykliset, <2% aromaatteja	30-45%	CLP: Asp.tox 1, H304; EUH066 DSD-DPD: Xn; R65, R66
67-63-0 200-661-7	Propan-2-oli	15-30%	F; R11; Xi; R36; R67 ;Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336

4. FIRST AID MEASURES

4.1 Description of first aid measures

Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

4.1.2 Inhalation

In the case of inhalation of aerosol/mist consult a physician if necessary.

4.1.3 Skin contact

Get medical attention if symptoms occur.

4.1.4 Eye contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

4.1.5 Ingestion

Aspiration hazard if swallowed - can enter lungs and cause damage. If swallowed, call a poison control centre or doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard if swallowed - can enter lungs and cause damage.

4.3 Indication of immediate medical attention and special treatment needed

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)

5.1.2 Extinguishing media which must not be used for safety reasons

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Explosive reaction may occur on heating or burning.

5.3 Advice for firefighters

Alcohol-resistant foam

5.4 Specific methods

Immediately evacuate personnel to safe areas.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Prevent unauthorised persons entering the zone. Prevent unauthorised persons entering the zone. Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind.

6.2 Environmental precautions

Prevent product from entering drains.

SAFETY DATA SHEET Page 3/5

PRF 7-78

Date 16.8.2017 Previous date: 16.8.2017

6.3 Methods and materials for containment and cleaning up

6.4 Reference to other sections

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Do not use in areas without adequate ventilation. No sparking tools should be used. Do not taste or swallow. Do not spray on a naked flame or any incandescent material. Do not smoke. Do not empty into drains. Do not store near combustible materials. Take precautionary measures against static discharges. Prevent vapour buildup by providing adequate ventilation during and after use.

7.2 Conditions for safe storage, including any incompatibilities

Do not store near combustible materials. Storage of flammable liquids

7.3 Specific end use(s)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Threshold limits

 106-97-8
 butan
 800 ppm (8 h)
 1000 ppm (15 min)

 1900 mg/m³ (8 h)
 2350 mg/m³ (15 min)

 74-98-6
 propan
 800 ppm (8 h)
 1100 ppm (15 min)

 1500 mg/m³ (8 h)
 2000 mg/m³ (15 min)

8.1.4 **DNELs**

not determined

8.1.5 PNECs

not determined

- 8.2 Exposure controls
- 8.2.2 Individual protection measures
- 8.2.2.1 Respiratory protection

Provide adequate ventilation. Do not inhale aerosol. Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached.

8.2.2.2 Hand protection

It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.

8.2.2.3 Eye/face protection

Avoid contact with eyes.

8.2.2.4 Skin protection

Avoid contact with skin.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Important Health Safety and Environmental Information

9.1.1 Appearance

aerosol

9.1.2	Odour	hydrocarbon-like
9.1.3	Odour threshold	not determined
9.1.4	рН	not determined
9.1.5	Melting point/freezing point	not determined
9.1.6	Initial boiling point and boiling range	< -20 °C
9.1.7	Flash point	< 0 °C
9.1.8	Evaporation rate	not determined

SAFETY DATA SHEET Page 4/5

PRF 7-78

Date 16.8.2017 Previous date: 16.8.2017

9.1.9	Flammability (solid, gas)	Extremely flammable.
9.1.10 9.1.10.1	Explosive properties Lower explosion limit	2,3 til-%
9.1.10.2	Upper explosion limit	9,5 til-%
9.1.11	Vapour pressure	not determined
9.1.12	Vapour density	not determined
9.1.13	Relative density	not determined
9.1.14	Solubility(ies)	
9.1.14.1	Water solubility	insoluble
9.1.14.2	Fat solubility (solvent - oil to be specified)	Soluble in hydrocarbons
9.1.15	Partition coefficient: n-octanol/water	not determined
9.1.16	Auto-ignition temperature	not determined
9.1.17	Decomposition temperature	not determined
9.1.18	Viscosity	not determined
9.1.19	Explosive properties	not determined
9.1.20	Oxidising properties	not determined
9.2	Other information	

10. STABILITY AND REACTIVITY

10.1 Reactivity

Exposure to sunlight.

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

-

10.4 Conditions to avoid

Do not expose to temperatures above 50 °C.

10.5 Incompatible materials

10.6 Hazardous decomposition products

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Acute toxicity

LD50/oral/rat => 2000 mg/kg, IPA LD50/dermal/rabbit => 2000 mg/kg, IPA

11.1.2 Irritation and corrosion

Irritating to eyes.

11.1.3 Sensitisation

No data is available on the product itself.

11.1.4 Subacute, subchronic and prolonged toxicity

No data is available on the product itself.

11.1.5 STOT-single exposure

Irritating to eyes. May cause skin irritation in susceptible persons.

11.1.6 STOT-repeated exposure

Prolonged or repeated contact may dry skin and cause irritation.

11.1.7 Aspiration hazard

Aspiration hazard if swallowed - can enter lungs and cause damage.

SAFETY DATA SHEET Page 5/5

PRF 7-78

Date 16.8.2017 Previous date: 16.8.2017

12. ECOLOGICAL INFORMATION

12.1 Toxicity

12.1.1 Aquatic toxicity

LC50/96h/rainbow trout = > 100 mg/l,IPA

LC50/96h/algae => 100 mg/l,IPA

12.1.2 Toxicity to other organisms

Taking into consideration the properties of several components, the product is estimated to be biodegradable according to OECD classification.

12.2 Persistence and degradability

12.2.1 Biodegradation

Bioaccumulation is unlikely.

12.2.2 Chemical degradation

Readily biodegradable, according to appropriate OECD test.

12.3 Bioaccumulative potential

Bioaccumulation is unlikely.

- 12.4 Mobility in soil
- 12.5 Results of PBT and vPvB assessment
- 12.6 Other adverse effects

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

14.1	UN number	1950
14.2	UN proper shipping name	Aerosols
14.3	Transport hazard class(es)	2.1
14.4	Packing group	-

14.5 Environmental hazards Environmentally hazardous

14.6 Special precautions for users

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture2B - Aerosols

Chemical safety assessment

16. OTHER INFORMATION

15.2

16.1 Additions, Deletions, Revisions

REGULATION (EC) No 453/2010

16.8 Additional information available from:

tilaukset(at)taerosol.com