#### **PRFTCC**

Date 7.1.2016 Previous date: 4.1.2016

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

#### 1.1 Product identifier

#### 1.1.1 Commercial Product Name

PRF TCC

#### 1.1.2 Product code

PETCC52

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Recommended use

Cleaning agent

## 1.3 Details of the supplier of the safety data sheet

## 1.3.1 Supplier

Taerosol Oy

**Street address** Hampuntie 21

**Postcode and post office** 36220

**Postcode and post office Telephone**Kangasala Finland
03-3565600

**Email** heikki.jalava@taerosol.com

#### 1.4 Emergency telephone number

#### 1.4.1 Telephone number, name and address

09-471 977 tai 09-4711 Myrkytystietokeskus / HUS

PL 340 (Haartmaninkatu 4), 00029 HUS (Helsinki)

#### 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture 1272/2008 (CLP)

Flam. Aerosol 1, H222 Flam. Aerosol 1, H229 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 STOT SE 3, H336

## 2.2 Label elements

## 1272/2008 (CLP)

GHS09 - GHS07 - GHS02 Signal word **Danger** 

#### **Hazard Statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated. H411 Toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

#### **Precautionary Statements**

P102 Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.

P262 Do not get in eyes, on skin, or on clothing.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/ 122 °F.

## 2.3 Other hazards







SAFETY DATA SHEET Page 2/6

#### **PRFTCC**

Date 7.1.2016 Previous date: 4.1.2016

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

**Hazardous components** 

CAS/EC and Reg. number	Chemical name of the substance	Concentratio n	Classification
64742-49-0 265-151-9	Naphtha (petroleum),hydrotreatedlight	40-60%	CLP:Flam.Liq. 2; H225 R 12 Skin.Irrit. 2; H315 R 3 STOT SE 3; H336 R 67 Asp.tox 1; H304 R 65 Aquatic Chronic 2; H411 R 51/53
106-97-8 200-857-2	butan	20-30%	F+; R12 ;Flam. Gas 1, H220; Press. Gas
74-98-6 200-827-9	propan	20-30%	F+; R12 ;Flam. Gas 1, H220; Press. Gas

## 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

### 4.1.2 Inhalation

In the case of inhalation of aerosol/mist consult a physician if necessary.

## 4.1.3 Skin contact

Get medical attention if symptoms occur.

#### 4.1.4 Eye contact

Immediately flush eye(s) with plenty of water.

## 4.1.5 Ingestion

If swallowed, call a poison control centre or doctor immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard if swallowed - can enter lungs and cause damage.

## 4.3 Indication of immediate medical attention and special treatment needed

Aspiration hazard

## 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

## 5.1.1 Suitable extinguishing media

ABC powder, Carbon dioxide (CO2)

## 5.1.2 Extinguishing media which must not be used for safety reasons

Do NOT use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Explosive reaction may occur on heating or burning.

#### 5.3 Advice for firefighters

Alcohol-resistant foam

#### 5.4 Specific methods

Immediately evacuate personnel to safe areas.

#### **PRFTCC**

Date 7.1.2016 Previous date: 4.1.2016

## **6. ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal precautions, protective equipment and emergency procedures

Prevent unauthorised persons entering the zone. Prevent unauthorised persons entering the zone. Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind.

#### **6.2** Environmental precautions

Prevent product from entering drains.

#### 6.3 Methods and materials for containment and cleaning up

not determined

#### 6.4 Reference to other sections

not determined

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Do not use in areas without adequate ventilation. No sparking tools should be used. Do not taste or swallow. Do not spray on a naked flame or any incandescent material. Do not smoke. Do not empty into drains. Do not store near combustible materials. Take precautionary measures against static discharges. Prevent vapour buildup by providing adequate ventilation during and after use.

## 7.2 Conditions for safe storage, including any incompatibilities

Do not store near combustible materials. Storage of flammable liquids

## 7.3 Specific end use(s)

not determined

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

not determined

#### 8.1.1 Threshold limits

64742-49-0	Naphtha(petroleum),	500 ppm (8 h)	630 ppm (15 min)
	hydrotreatedlight	1800 mg/m <sup>3</sup> (8 h)	2300 mg/m <sup>3</sup> (15 min)
106-97-8	butan	800 ppm (8 h)	1000 ppm (15 min)
		1900 mg/m <sup>3</sup> (8 h)	2350 mg/m <sup>3</sup> (15 min)
74-98-6	propan	800 ppm (8 h)	1100 ppm (15 min)
		1500 mg/m <sup>3</sup> (8 h)	2000 mg/m <sup>3</sup> (15 min)

#### 8.1.2 Other information on limit values

not determined

#### 8.1.3 Limit values in other countries

not determined

#### 8.1.4 **DNELs**

not determined

#### 8.1.5 PNECs

not determined

## 8.2 Exposure controls

## 8.2.1 Appropriate engineering controls

not determined

#### 8.2.2 Individual protection measures

#### 8.2.2.1 Respiratory protection

## **PRFTCC**

Date 7.1.2016 Previous date: 4.1.2016

Provide adequate ventilation. Do not inhale aerosol. Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached.

## 8.2.2.2 Hand protection

It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.

Gloves:

Material: Nitril rubber Thickness: 0,45 mm Break through: 480 min

## 8.2.2.3 Eye/face protection

Avoid contact with the skin and the eyes.

## 8.2.2.4 Skin protection

Avoid contact with the skin and the eyes.

## 8.2.3 Environmental exposure controls

not determined

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 9.1.1	Important Health Safety and Environme Appearance aerosol	ntal Information
9.1.2	Odour	hydrocarbon-like
9.1.3	Odour threshold	not determined
9.1.4	рН	7
9.1.5	Melting point/freezing point	no data available
9.1.6	Initial boiling point and boiling range	<-20 °C
9.1.7	Flash point	< 0 °C
9.1.8	Evaporation rate	not determined
9.1.9	Flammability (solid, gas)	Extremely flammable.
9.1.10	Explosive properties	
9.1.10.1	Lower explosion limit	2,3 til-%
9.1.10.2	Upper explosion limit	9,5 til-%
9.1.11	Vapour pressure	not determined
9.1.12	Vapour density	not determined
9.1.13	Relative density	not determined
9.1.14	Solubility(ies)	
9.1.14.1	Water solubility	insoluble
9.1.14.2	Fat solubility (solvent - oil to be specified)	Soluble in hydrocarbons
9.1.15	Partition coefficient: n-octanol/water	not determined
9.1.16	Auto-ignition temperature	not determined
9.1.17	Decomposition temperature	not determined
9.1.18	Viscosity	not determined
9.1.19	Explosive properties	not determined
9.1.20	Oxidising properties	not determined
9.2	Other information not determined	

SAFETY DATA SHEET Page 5/6

#### **PRFTCC**

Date 7.1.2016 Previous date: 4.1.2016

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Exposure to sunlight.

#### 10.2 Chemical stability

Stable

#### 10.3 Possibility of hazardous reactions

not determined

#### 10.4 Conditions to avoid

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C.

#### 10.5 Incompatible materials

not determined

## 10.6 Hazardous decomposition products

not determined

#### 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

not determined

#### 11.1.1 Acute toxicity

LD50/oral/rat =>5840 mg/kg OECD Test Guideline 401

LC50/inhalation/ 4 h/rat =>23.3 mg/LOECD Test Guideline 403

#### 11.1.2 Irritation and corrosion

Solvents may degrease the skin. Prolonged skin contact may cause skin irritation.

#### 11.1.3 Sensitisation

not determined

#### 11.1.4 Subacute, subchronic and prolonged toxicity

not determined

#### 11.1.5 STOT-single exposure

Aspiration hazard if swallowed - can enter lungs and cause damage.

#### 11.1.6 STOT-repeated exposure

Prolonged or repeated contact may dry skin and cause irritation.

#### 11.1.7 Aspiration hazard

Aspiration hazard if swallowed - can enter lungs and cause damage.

## 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

#### 12.1.1 Aquatic toxicity

LC50/96h/rainbow trout =10<LC/EC

LC50/96h/algae = 10mg/l1

LC50/96h/Sheephead minnows = May cause long-term adverse effects in the aguatic environment.

#### 12.1.2 Toxicity to other organisms

May cause long-term adverse effects in the aquatic environment. Very toxic to fish. Very toxic to algae.

#### 12.2 Persistence and degradability

#### 12.2.1 Biodegradation

Bioaccumulation is unlikely.

#### 12.2.2 Chemical degradation

Readily biodegradable, according to appropriate OECD test.

SAFETY DATA SHEET Page 6/6

#### **PRFTCC**

Date 7.1.2016 Previous date: 4.1.2016

#### 12.3 Bioaccumulative potential

Bioaccumulation is unlikely.

## 12.4 Mobility in soil

not determined

#### 12.5 Results of PBT and vPvB assessment

not determined

#### 12.6 Other adverse effects

not determined

## 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.

## 13.2 Waste from residues / unused products

not determined

#### 14. TRANSPORT INFORMATION

14.1	UN number	1950
14.2	UN proper shipping name	Aerosols
14.3	Transport hazard class(es)	2.1
14.4	Packing group	2

**14.5** Environmental hazards not determined

14.6 Special precautions for users

not determined

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not determined

#### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture** 2B - Aerosols, VOC: Directive 1999/13/EC 100%

#### 15.2 Chemical safety assessment

not determined

#### **16. OTHER INFORMATION**

#### 16.1 Additions, Deletions, Revisions

REGULATION (EC) No 453/2010

#### 16.5 List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements

R12 Extremely flammable. R38 Irritating to skin.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65 Harmful: may cause lung damage if swallowed. R67 Vapours may cause drowsiness and dizziness.

#### 16.8 Additional information available from:

tilaukset(at)taerosol.com