Safety Data Sheet (1907/2006/EC)

Material: 60003805

Version: 2.3 (GB)

WACKER

Date of print: 05.03.2018

ELASTOSIL® RT 601 A

Date of last alteration: 22.06.2016

1.1	Product identifier				
	Commercial product name:	ELASTOSIL® RT 601 A			
.2	Relevant identified uses of the substance or mixture and uses advised against				
	Use of substance / preparation: Industrial. Casting compound				
1.3	Details of the supplier of the safety data sheet				
	Manufacturer/distributor: Street/POB-No.: State/postal code/city: Telephone: Telefax:	Wacker Chemie AG Hanns-Seidel-Platz 4 D 81737 München +49 89 6279-0 +49 89 6279-1770			
	Information about the Safety Data Sheet:	Telephone Telefax eMail	+49 8677 83-4888 +49 8677 886-9722 WLCP-MSDS@wacker.com		
1.4	Emergency telephone number				
	Emergency Information (German): Emergency Information (internat.):	Plant fire brigade National Response Center	+49 8677 83-2222 +49 621 60-43333		
SEC	TION 2: Hazards identification				
.1	Classification of the substance or mixture				
	Classification according to Regulation (EC) No. 1272/2008:				
	Not a hazardous substance or mixture.				
.2	Label elements				
	Labelling according to Regulation (EC) No. 1272/2008:				
	No labeling according to GHS required.				
.3	Other hazards				
	No data available.				
SEC	CTION 3: Composition/information on i	ngredients			
3.1	Substances				
	not applicable				

3.2.1 Chemical characteristics

Polydimethylsiloxane with functional groups and auxiliaries for addition cross-linking

3.2.2 Hazardous ingredients

This material does not contain any reportable hazardous ingredients.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

Safety Data Sheet (1907/2006/EC)

Material: 60003805

ELASTOSIL® RT 601 A

Version: 2.3 (GB)

Date of print: 05.03.2018

Date of last alteration: 22.06.2016

After contact with the skin:

Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

After inhalation:

Provide fresh air.

After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

water mist, extinguishing powder, alcohol-resistant foam, carbon dioxide, sand.

Extinguishing media which must not be used for safety reasons:

water jet .

5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: carbon oxides , silicon oxides , incompletely burnt hydrocarbons , toxic and very toxic fumes .

5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material.

6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

6.3 Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Safety Data Sheet (1907/2006/EC)

Material: 60003805

ELASTOSIL® RT 601 A

Date of last alteration: 22.06.2016

Version: 2.3 (GB)

Date of print: 05.03.2018

Precautions for safe handling:

Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Spilled substance increases risk of slipping. Observe information in section 8.

Precautions against fire and explosion:

Observe the general rules for fire prevention.

7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels:

Observe local/state/federal regulations.

Advice for storage of incompatible materials:

Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Maximum airborne concentrations at the workplace: not applicable

8.2 Exposure controls

8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat or drink when handling.

Personal protection equipment:

Respiratory protection

No personal respiratory protective equipment normally required.

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Suitable respiratory equipment: Filtering half-face mask, according to acknowledged standards such as EN 149. Recommended Filter type: FFP1 or equivalent filter, according to acknowledged standards such as EN 149

Observe the equipment manufacturer's information and wear time limits for respirators.

Eye protection

Recommendation: protective goggles .

Hand protection

Use of protective gloves is recommended when handling the material.

Recommended glove types: Protective gloves made of nitrile rubber thickness of the material: > 0,1 mm Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of butyl rubber thickness of the material: > 0,3 mm Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil.

Safety Data Sheet (1907/2006/EC)

Material: 60003805

ELASTOSIL® RT 601 A

Version: 2.3 (GB)

Date of print: 05.03.2018

Date of last alteration: 22.06.2016

	TION 9: Physical and chemical properties			
9.1	Information on basic physical and chemical properties			
	Property:	Value:	Method:	
	Appearance			
	Physical state / form	•		
	Colour:	colourless		
	Odour			
	Odour	odourless		
	pH-Value			
	pH-Value	approx. 7		
	Melting point/freezing point			
	Melting point / melting range	not applicable		
	Initial boiling point and boiling range			
	Boiling point / boiling range	not applicable		
	Flash point			
	Flash point	> 302 °C	(ISO 2592)	
	Upper/lower flammability or explosive limits			
	Lower explosion limit (LEL)			
	Upper explosion limit (UEL)	not applicable		
	Vapour pressure			
	Vapour pressure	not applicable		
	Solubility(ies)			
	Water solubility / miscibility	virtually insoluble		
	Vapour density			
	Relative gas/vapour density	No data known.		
	Relative Density			
	Relative Density			
		(Water / 4 °C = 1,00)		
	Density	1,03 g/cm³ (20 °C)		
	Partition coefficient: n-octanol/water			
	Partition coefficient: n-octanol/water	No data known.		
	Auto-ignition temperature			
	Ignition temperature	> 450 °C	(DIN 51794)	
	Decomposition temperature			
	Thermal decomposition	> 200 °C		
	Viscosity			
	Viscosity (dynamic)	4000 - 7000 mPa.s at 20 °C		
9.2	Other information			
	No data available.			

SECTION 10: Stability and reactivity

10.1 - 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid

none known

10.5 Incompatible materials

none known

10.6 Hazardous decomposition products

If stored and handled properly: none known . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

Safety Data Sheet (1907/2006/EC)

Material: 60003805

ELASTOSIL® RT 601 A

Date of last alteration: 22.06.2016

Version: 2.3 (GB)

Date of print: 05.03.2018

SECTION 11: Toxicological information

11.1 Information on toxicological effects

11.1.1 Acute toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Acute toxicity estimate (ATE):

ATE_{mix} (oral): > 2000 mg/kg

11.1.2 Skin corrosion/irritation

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.3 Serious eye damage / eye irritation

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.4 Respiratory or skin sensitization

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.5 Germ cell mutagenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.6 Carcinogenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Reproductive toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.8 Specific target organ toxicity (single exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity (repeated exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.10 Aspiration hazard

Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

SECTION 12: Ecological information

12.1 Toxicity

Assessment:

For the product as a whole, no test data is available. According to current knowledge adverse effects on water purification plants are not expected.

Safety Data Sheet (1907/2006/EC)

Material: 60003805

ELASTOSIL® RT 601 A

Version: 2.3 (GB)

Date of print: 05.03.2018

Date of last alteration: 22.06.2016

12.2 Persistence and degradability

Assessment:

Silicone content: biologically not degradable. Separation by sedimentation.

12.3 Bioaccumulative potential

Assessment:

No adverse effects expected.

12.4 Mobility in soil

Assessment:

For the product as a whole, no test data is available.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

none known

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Material

14.5

14.6

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

13.1.3 Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

SECTION 14: Transport information

14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

Road ADR: Valuation	Not regulated for transport
Railway RID: Valuation	Not regulated for transport
Transport by sea IMDG-Code: Valuation	Not regulated for transport
Air transport ICAO-TI/IATA-DGR: Valuation	Not regulated for transport
Environmental hazards	
Hazardous to the environment: no	
Special precautions for user	

Relevant information in other sections has to be considered.

Safety Data Sheet (1907/2006/EC)

Material: 60003805

WACKER

ELASTOSIL® RT 601 A

Version: 2.3 (GB)

Date of print: 05.03.2018

Date of last alteration: 22.06.2016

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

Relevant regulations:

SI 2002/1689: CHIP Regulations 2002
SI 2002/2677: COSHH Regulations 2002
SI 1999/3242: Management of Health & Safety at Work Regulations 1999
Health & Safety at Work Act 1974
SI 1993/1643: Environmental Protection Act 1993 & Subsidiary Regulations.
Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.

15.2 Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

15.3 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

South Korea (Republic of Korea): ECL (Existing Chemicals List):	
This product is listed in, or complies with, the substance inventory.	
Japan FINCS (Handbook of Existing and New Chemical Substances):	
This product is listed in, or complies with, the substance inventory.	
Australia AICS (Australian Inventory of Chemical Substances):	
This product is listed in, or complies with, the substance inventory.	
People's Republic of China : IECSC (Inventory of Existing Chemical Substances in China):	
This product is listed in, or complies with, the substance inventory.	
Canada: DSL (Domestic Substance List):	
This product is listed in, or complies with, the substance inventory.	
Philippines	
This product is listed in, or complies with, the substance inventory.	
United States of America (USA) : TSCA (Toxic Substance Control Act Chemical Substance Inventory):	
This product is listed in, or complies with, the substance inventory.	
Taiwan (Republic of China): TCSI (Taiwan Chemical Substance Inventory):	
This product is listed in, or complies with, the substance inventory. General not	te:
Taiwan REACH requires a phase 1 registration for TCSI-listed or TCSI-complia	
substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger	
quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the	
of the importing/manufacturing legal entity to take care of this obligation.	
European Economic Area (EEA)	
General note: the registration obligations for substances imported into the EEA	or
manufactured within the EEA by the supplier mentioned in section 1 are fulfilled	
the said supplier. The registration obligations for substances imported into the	
by customers or other downstream users must be fulfilled by the latter.	

Safety Data Sheet (1907/2006/EC)

Material: 60003805

ELASTOSIL® RT 601 A

Date of last alteration: 22.06.2016

Version: 2.3 (GB)

Date of print: 05.03.2018

SECTION 16: Other information

16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

All deliveries are subject to the WACKER SILICONES Health Care Policy, which is available at www.wacker.com.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

- End of Safety Data Sheet -