# Safety Data Sheet (1907/2006/EC)

### Material: 60003071

Version: 2.4 (GB)

WACKER

## WACKER® SILICONE PASTE P

Date of print: 06.03.2018

Date of last alteration: 22.06.2016

SEC	TION 1: Identification of the substance	e/mixture and of the company/un	dertaking
1.1	Product identifier		
	Commercial product name:	WACKER® SILICONE PASTE P	
1.2	Relevant identified uses of the substance or	mixture and uses advised against	
	Use of substance / preparation: Industrial. Auxiliary agent for: elastomer products		
1.3	Details of the supplier of the safety data shee	t	
	Manufacturer/distributor: Street/POB-No.: State/postal code/city: Telephone: Telefax:	Wacker Chemie AG Hanns-Seidel-Platz 4 D 81737 München +49 89 6279-0 +49 89 6279-1770	
	Information about the Safety Data Sheet:	Telephone Telefax eMail	+49 8677 83-4888 +49 8677 886-9722 WLCP-MSDS@wacker.com
1.4	Emergency telephone number		
	Emergency Information (German): Emergency Information (internat.):	Plant fire brigade National Response Center	+49 8677 83-2222 +49 621 60-43333
SEC	TION 2: Hazards identification		
2.1	Classification of the substance or mixture		
	Classification according to Regulation (EC) No. 7	1272/2008:	
	Not a hazardous substance or mixture.		
2.2	Label elements		
	Labelling according to Regulation (EC) No. 1272	2/2008:	
	No labeling according to GHS required.		
2.3	Other hazards		
I	No data available.		
SEC	TION 3: Composition/information on in	ngredients	
3.1	Substances		
	not applicable		
3.2	Mixtures		
3.2.1	Chemical characteristics		

Polydimethylsiloxane and auxiliary

## 3.2.2 Hazardous ingredients

This material does not contain any reportable hazardous ingredients.

## SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### **General information:**

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

#### After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

## Safety Data Sheet (1907/2006/EC)

#### Material: 60003071

### WACKER® SILICONE PASTE P

Version: 2.4 (GB)

Date of print: 06.03.2018

Date of last alteration: 22.06.2016

#### After contact with the skin:

Wipe off excess material with cloth or paper. Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

#### After inhalation:

Material cannot be inhaled under normal conditions.

#### After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media:

water mist, extinguishing powder, alcohol-resistant foam, carbon dioxide, sand.

#### Extinguishing media which must not be used for safety reasons:

water jet .

#### 5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: carbon oxides , silicon oxides , incompletely burnt hydrocarbons , toxic and very toxic fumes .

#### 5.3 Advice for firefighters

#### Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material.

#### 6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

#### 6.3 Methods and material for containment and cleaning up

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

#### 6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Precautions for safe handling:

Observe information in section 8.

#### Precautions against fire and explosion:

Observe the general rules for fire prevention.

# Safety Data Sheet (1907/2006/EC)

## Material: 60003071 WACKER® SILICONE PASTE P Date of print: 06.03.2018 Date of last alteration: 22.06.2016 Version: 2.4 (GB) 7.2 Conditions for safe storage, including any incompatibilities Conditions for storage rooms and vessels: Observe local/state/federal regulations. Advice for storage of incompatible materials: Observe local/state/federal regulations. Further information for storage: Store in a dry and cool place. 7.3 Specific end use(s) No data available. SECTION 8: Exposure controls/personal protection 8.1 **Control parameters** Maximum airborne concentrations at the workplace: not applicable 8.2 **Exposure controls** 8.2.1 Exposure in the work place limited and controlled General protection and hygiene measures: Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat or drink when handling. Personal protection equipment: **Respiratory protection** No personal respiratory protective equipment normally required. Eye protection Recommendation: protective goggles . Hand protection Use of protective gloves is recommended when handling the material. Recommended glove types: Protective gloves made of nitrile rubber thickness of the material: > 0,1 mm Breakthrough time: > 480 min Recommended glove types: Protective gloves made of butyl rubber thickness of the material: > 0.3 mm Breakthrough time: > 480 min Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time. 8.2.2 Exposure to the environment limited and controlled Prevent material from entering surface waters, drains or sewers and soil. SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Property:	Value:	Method:
Appearance		
Physical state / form	paste	
Colour		
Odour		
Odour	odourless	
pH-Value		
pH-Value	not applicable	

# Safety Data Sheet (1907/2006/EC)

Material: 60003071	WACKER® SILICONE PASTE P	
Version: 2.4 (GB)	Date of print: 06.03.2018	Date of last alteration: 22.06.2016
Melting point/freezing po Melting point / melting ran Initial boiling point and b Boiling point / boiling rang Flash point Flash point Upper/lower flammability Lower explosion limit (LE Upper explosion limit (UE Vapour pressure Vapour pressure Vapour pressure Solubility(ies) Water solubility / miscibilit Vapour density Relative gas/vapour dens Relative Density Relative Density Relative Density Relative Density Relative Density Density Density Partition coefficient: n-oc Auto-ignition temperature Ignition temperature Decomposition temperature Thermal decomposition	int ngenot applicableoolling range genot applicablegenot applicablefor explosive limitsL)not applicableEL)not applicableEL)not applicableityvirtually insolublesityNo data known.1 (25 °C) (Water / 4 °C = 1,00)1 g/cm³ (25 °C)ctanol/water tanol/waterNo data known.e> 400 °Cure> 250 °C	(ISO 1183-1 A) (ISO 1183-1 A)
9.2 Other information	not applicable	
No data available.		

6

### SECTION 10: Stability and reactivity

#### 10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

#### 10.4 Conditions to avoid

none known

10.5 Incompatible materials

none known

### **10.6 Hazardous decomposition products**

If stored and handled properly: none known . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### 11.1.1 Acute toxicity

#### Assessment:

Based on the available data acute toxic effects are not expected after single oral exposure. Based on the available data acute toxic effects are not expected after single dermal exposure.

## Safety Data Sheet (1907/2006/EC)

### Material: 60003071

## WACKER® SILICONE PASTE P

Version: 2.4 (GB)

Date of print: 06.03.2018

Date of last alteration: 22.06.2016

### Product details:

Route of exposure	e Result/Effect	Species/Test system	Source
oral	LD <sub>50</sub> : > 2000 mg/kg	rat	Conclusion by analogy
dermal	LD <sub>50</sub> : > 2000 mg/kg	rat	Conclusion by analogy

### 11.1.2 Skin corrosion/irritation

#### Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by
		analogy

#### 11.1.3 Serious eye damage / eye irritation

#### Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by
		analogy

#### 11.1.4 Respiratory or skin sensitization

#### Product details:

Route of exp	oosure Result/Effect	Species/Test system	Source
dermal	not sensitizing	guinea-pig; Bühler	Conclusion by
			analogy

#### 11.1.5 Germ cell mutagenicity

#### Assessment:

Based on known data a significant mutagenic potential may be excluded.

### Product details:

Result/Effect	Species/Test system	Source
negative	mutation assay (in vitro)	Conclusion by
	bacterial cells	analogy
		OECD 471

#### 11.1.6 Carcinogenicity

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.7 Reproductive toxicity

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

### 11.1.8 Specific target organ toxicity (single exposure)

### Assessment:

For this endpoint no toxicological test data is available for the whole product.

### 11.1.9 Specific target organ toxicity (repeated exposure)

### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.10 Aspiration hazard

#### Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

## Safety Data Sheet (1907/2006/EC)

Material: 60003071

### WACKER® SILICONE PASTE P

Version: 2.4 (GB)

Date of print: 06.03.2018

Date of last alteration: 22.06.2016

## SECTION 12: Ecological information

#### 12.1 Toxicity

#### Assessment:

Assessment based on ecotoxicological tests with similar products under consideration of the physical-chemical properties: For this product no effects on aquatic organisms, relevant for classification, are expected. According to current knowledge adverse effects on water purification plants are not expected.

#### 12.2 Persistence and degradability

#### Assessment:

Silicone content: biologically not degradable. Separation by sedimentation.

#### 12.3 Bioaccumulative potential

#### Assessment:

Polymer component: No adverse effects expected.

#### 12.4 Mobility in soil

#### Assessment:

Insoluble in water. No adverse effects expected.

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

none known

#### 12.7 Additional information

Easily separable from water by filtration.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### 13.1.1 Material

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

#### 13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

#### 13.1.3 Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### **SECTION 14: Transport information**

#### 14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

Road ADR: Valuation	Not regulated for trapport
Valuation	Not regulated for transport
Railway RID:	
Valuation	Not regulated for transport

# Safety Data Sheet (1907/2006/EC)

## Material: 60003071

## WACKER® SILICONE PASTE P

Date of last alteration: 22.06.2016

Version: 2.4 (GB)

Date of print: 06.03.2018

Transport by sea IMDG-Code:

Valuation ..... Not regulated for transport

Air transport ICAO-TI/IATA-DGR:

Valuation ..... Not regulated for transport

### 14.5 Environmental hazards

Hazardous to the environment: no

#### 14.6 Special precautions for user

Relevant information in other sections has to be considered.

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

## SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

#### **Relevant regulations:**

SI 2002/1689: CHIP Regulations 2002
SI 2002/2677: COSHH Regulations 2002
SI 1999/3242: Management of Health & Safety at Work Regulations 1999
Health & Safety at Work Act 1974
SI 1993/1643: Environmental Protection Act 1993 & Subsidiary Regulations.
Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.

#### 15.2 Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

#### 15.3 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

South Korea (Republic of Korea):	
	This product is listed in, or complies with, the substance inventory.
Japan	<b>ENCS</b> (Handbook of Existing and New Chemical Substances): This product is listed in, or complies with, the substance inventory.
Australia	AICS (Australian Inventory of Chemical Substances):
	This product is listed in, or complies with, the substance inventory.
People's Republic of China:	IECSC (Inventory of Existing Chemical Substances in China):
	This product is listed in, or complies with, the substance inventory.
Canada:	
	This product is listed in, or complies with, the substance inventory.
Philippines:	PICCS (Philippine Inventory of Chemicals and Chemical Substances):
	This product is listed in, or complies with, the substance inventory.
United States of America (USA):	<b>TSCA</b> (Toxic Substance Control Act Chemical Substance Inventory):
	This product is listed in, or complies with, the substance inventory.
Taiwan (Republic of China):	TCSI (Taiwan Chemical Substance Inventory):
	This product is listed in, or complies with, the substance inventory. General note:
	Taiwan REACH requires a phase 1 registration for TCSI-listed or TCSI-compliant
	substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger
	quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty
	of the importing/manufacturing legal entity to take care of this obligation.
European Economic Area (EEA):	REACH (Regulation (EC) No 1907/2006):
	General note: the registration obligations for substances imported into the EEA or
	manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by
	the said supplier. The registration obligations for substances imported into the EEA
	by customers or other downstream users must be fulfilled by the latter.

## Safety Data Sheet (1907/2006/EC)

Material: 60003071

## WACKER® SILICONE PASTE P

Version: 2.4 (GB)

Date of print: 06.03.2018

Date of last alteration: 22.06.2016

## SECTION 16: Other information

#### 16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

All deliveries are subject to the WACKER SILICONES Health Care Policy, which is available at www.wacker.com.

#### 16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

#### - End of Safety Data Sheet -