

# PRODUCT SPECIFICATION

|                         |                   |
|-------------------------|-------------------|
| <b>Brand</b>            | C.K               |
| <b>Product Range</b>    | PVC pipe cutters  |
| <b>Catalogue number</b> | 2238, 2239 & 2240 |
| <b>Date</b>             | 14/05/2014        |

## Range Description

Ratchet PVC Pipe cutters

### Features

430001

- Glass fibre reinforced body – strong and lightweight
- Ergonomic handle design for increased leverage
- Razor sharp stainless steel blade for corrosion protection and performance

### Features

430003

- Heavy duty cast Aluminium body for strength
- Ratchet cutting mechanism for effortless clean cuts
- Razor sharp stainless steel blade for corrosion protection and performance
- Cable trunking adaptor included for convenience
- Cuts a wide variety of plastic and rubber products



430001



*With trunking adaptor*

430003

**Features**

T2240

- Aluminium Anvils and handles – lightweight and comfortable
- Razor sharp stainless steel blade for corrosion protection and performance
- Supplied with 5 different anvils: general purpose anvil, 90 degree square anvil, multi angle anvil, 25mm single radius anvil and double radius anvil
- Quick and easy anvil hanging – for convenience and speed



T2240

| Item Number | Item Description        | EAN No        | Commodity code | Carton Qty |
|-------------|-------------------------|---------------|----------------|------------|
| 430001      | PVC conduit pipe cutter | 5051074300010 | 82034000       | 3          |
| 430003      | Ratchet conduit cutter  | 5051074300034 | 82034000       | 3          |
| T2240       | Multi cutter            | 5013969062847 | 82034000       | 3          |

Technical product information

**430001**

Body – Glass fibre reinforced plastic  
Blade – Stainless steel

Capacities:  
Cuts up to 28mm diameter (1 1/4")

Suitable for cutting PVC conduit, Blue water mains plastic pipe, rubber/plastic hose, Pneumatic pipes, electrical sleeving etc.

**430003**
















Body – Die cast Aluminium  
Blade – Stainless steel

Capacities:  
Cuts up to 32mm diameter (1 1/4") PVC pipe/conduit  
Can also be used to cut plastic water pipe, hose pipe, electrical sleeving, cable trunking, etc.

**T2240**

Body – Die cast Aluminium  
Blade – Stainless steel

Capacities

|   |  |   |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
|---|--|---|--|------------------|------------------|---|------------------|---|---|---|---|---|--|---|---|------------------|
|   | <table border="1"> <tr> <td>For PVC Pipe &amp; Hose<br/>Jaw anvil of 17mm &amp; 20mm</td> <td></td> <td>Max capacity 3mm</td> </tr> <tr> <td>90° Square anvil</td> <td></td> <td>Max capacity 2mm</td> </tr> <tr> <td>Flat anvil<br/>General flat material cutting</td> <td></td> <td>For laminated soft wood less than 10mm<br/>Also will cut 2mm thick square section trunking up to 35mm wide</td> </tr> <tr> <td>Multi-angle anvil<br/>Cutting for 45°, 75°, 90°, 105°, 120° angles</td> <td></td> <td>For laminated soft wood less than 10mm</td> </tr> <tr> <td>For PVC Pipe &amp; Hose<br/>Jaw anvil of 27mm dia.</td> <td></td> <td>Max capacity 3mm</td> </tr> </table> | For PVC Pipe & Hose<br>Jaw anvil of 17mm & 20mm   |  | Max capacity 3mm | 90° Square anvil |  | Max capacity 2mm | Flat anvil<br>General flat material cutting |  | For laminated soft wood less than 10mm<br>Also will cut 2mm thick square section trunking up to 35mm wide | Multi-angle anvil<br>Cutting for 45°, 75°, 90°, 105°, 120° angles |  | For laminated soft wood less than 10mm | For PVC Pipe & Hose<br>Jaw anvil of 27mm dia. |  | Max capacity 3mm |
| For PVC Pipe & Hose<br>Jaw anvil of 17mm & 20mm                   |    | Max capacity 3mm  |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
| 90° Square anvil  |   | Max capacity 2mm  |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
| Flat anvil<br>General flat material cutting                       |   | For laminated soft wood less than 10mm<br>Also will cut 2mm thick square section trunking up to 35mm wide |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
| Multi-angle anvil<br>Cutting for 45°, 75°, 90°, 105°, 120° angles |   | For laminated soft wood less than 10mm  |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
| For PVC Pipe & Hose<br>Jaw anvil of 27mm dia.                     |   | Max capacity 3mm  |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
|   | <p>Can be used to cut plastic trim, conduit, trunking, hose, PVC pipe, wooden dowel etc.</p> <p><b>Note</b><br/>These products are not designed to cut wire, metal or reinforced tubing – attempting to cut such materials will damage the blade</p>   |   |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
| Standards compliance  | None applicable  |   |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
| User health and safety information                                | None applicable  |   |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
| RoHS/WEEE compliance  | This product range does not fall within the scope of RoHS or WEEE regulations  |   |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
| Material safety data  | None applicable  |   |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
| Warranty  | C.K cutters are guaranteed for life against imperfect materials or workmanship<br>The cutter working mechanism and the cutting edge of the blade will wear over time, this is not covered under the terms of the warranty  |   |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |
| Country of origin   | Taiwan   |   |  |                  |                  |   |                  |   |   |   |   |   |  |   |   |                  |

## Dimensional details

| Item   | Product only |          |           |              | Product on primary packaging |          |           |                |
|--------|--------------|----------|-----------|--------------|------------------------------|----------|-----------|----------------|
|        | Width mm     | Depth mm | Height mm | Net weight g | Width mm                     | Depth mm | Height mm | Gross weight g |
| 430001 | 72           | 25       | 195       | 166          | 130                          | 28       | 280       | 200            |
| 430003 | 94           | 30       | 205       | 360          | 130                          | 35       | 280       | 410            |
| T2240  | 80           | 25       | 210       | 461          | 230                          | 40       | 295       | 559            |

| Item   | Shelf box (secondary packaging) |          |           |                | Euro Pallet data<br>Wi x Hi |                     |
|--------|---------------------------------|----------|-----------|----------------|-----------------------------|---------------------|
|        | Width mm                        | Depth mm | Height mm | Gross weight g | No of cartons on base       | Number of rows high |
| 430001 | 227                             | 295      | 57        | 717            |                             |                     |
| 430003 | 290                             | 370      | 37        | 1365           |                             |                     |
| T2240  | 235                             | 305      | 80        | 1882           |                             |                     |

## Packaging waste details

| Item   | Primary Packaging |         |        |              | Secondary packaging |     |        |     |
|--------|-------------------|---------|--------|--------------|---------------------|-----|--------|-----|
|        | Plastic g         | Use     | Card g | Use          | Plastic g           | Use | Card g | Use |
| 430001 | 16                | Blister | 18     | Backing card |                     |     | 117    | Box |
| 430003 | 22                | Blister | 28     | Backing card |                     |     | 135    | Box |
| T2240  | 85                | Blister | 13     | Backing card |                     |     | 205    | Box |