

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0638114200](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Hand Crimp Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207129
Comments	Prototype and field repair. Type: 4A, Prototype and field repair. Type: 4A
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	N/A
Tool Type	Hand Crimp Tool
UPC	756054736920
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Physical

Net Weight 428.885/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents
ATS-6381142HM, TM-638000029-001, TM-638000029CN-001, TM-638000029DE-001, TM-638000029FR-001, TM-638000029IT-001, TM-638000029JP-001, TM-638000029KR-001, TM-638000029MY-001, TM-638000029PL-001, TM-638000029RU-001, TM-638000029SK-001, TM-638000029SP-001, TM-638000029TH-001, TM-638000029TW-001, TM-638000029VN-001



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per - ED/61/2018 (27 June 2018)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Not Relevant

Not Relevant

Not Contained

Search Parts in this Series

[207129 Series](#)

Use With

Loose Piece Terminals

Application Tooling

Description

FAQ

Product #

2.54mm Pitch MX64 Terminal, Gold (Au) Plating, 22 AWG, Right Reel Payoff, Also used with MX123 Female Receptacle Housing	334670003
2.54mm Pitch MX64 Terminal, Gold (Au) Plating, 22 AWG, Left Reel Payoff, Also used with MX123 Female Receptacle Housing	334670004
2.54mm Pitch MX64 Terminal, Gold (Au) Plating, 18-20	334670005

AWG, Right Reel
Payoff, Also used
with MX123 Female
Receptacle Housing
2.54mm Pitch MX64 334670006
Terminal, Gold
(Au) Plating, 18-20
AWG, Left Reel
Payoff, Also used
with MX123 Female
Receptacle Housing
2.54mm Pitch MX64 334680001
Terminal, Tin (Sn)
Plating, 22 AWG,
Right Reel Payoff,
Also used with
MX123 Female
Receptacle Housing
2.54mm Pitch MX64 334680002
Terminal, Tin (Sn)
Plating, 22 AWG,
Left Reel Payoff,
Also used with
MX123 Female
Receptacle Housing
2.54mm Pitch MX64 334680003
Terminal, Tin (Sn)
Plating, 18-20 AWG,
Right Reel Payoff,
Also used with
MX123 Female
Receptacle Housing
2.54mm Pitch MX64 334680004
Terminal, Tin (Sn)
Plating, 18-20 AWG,
Left Reel Payoff,
Also used with
MX123 Female
Receptacle Housing
2.54mm Pitch MX64 347361001
Terminal, Silver
Plating, 22 AWG,
Left Reel Payoff,
Also used with
MX123 Female
Receptacle Housing
2.54mm Pitch MX64 347361002
Terminal, Silver
Plating, 18-20 AWG,
Left Reel Payoff,
Also used with
MX123 Female
Receptacle Housing
2.54mm Pitch MX64 347362001
Terminal, Silver
Plating, 22 AWG,
Right Reel Payoff,
Also used with
MX123 Female
Receptacle Housing
2.54mm Pitch MX64 347362002
Terminal, Silver
Plating, 18-20 AWG,
Right Reel Payoff,
Also used with

This document was generated on 05/06/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION